FORD

2008 — Crown Victoria

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Right Outer	MEOE-91	1
	Left Outer	MEOE-92	1

2008 — Fusion

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-25	2
	Right Outer	MEOE-87	1
	Left Outer	MEOE-88	1

2008 — Mustang

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-45	2
	Outer	MEOE-77	2

2008 — Taurus X

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-23	2
	Outer	MEOE-112	2

2007 — Crown Victoria

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Right Outer	MEOE-91	1
	Left Outer	MEOE-92	1

FORD

2007 — Five Hundred

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-23	2
	Outer	MEOE-112	2

2007 — Focus

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-82	2
	Inner	MEOE-24	2

2007 — Freestyle

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-23	2
	Outer	MEOE-112	2

2007 — Fusion

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-25	2
	Right Outer	MEOE-87	1
	Left Outer	MEOE-88	1

2007 — Mustang

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-45	2
	Outer	MEOE-77	2

FORD

2007 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-69	2
	Inner	MEOE-12	2

2006 — Crown Victoria

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Tie Rod	Right Outer	MEOE-91	1
	Left Outer	MEOE-92	1

2006 — Five Hundred

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-23	2
	Outer	MEOE-112	2

2006 — Focus

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	From 12/05/05; Outer	MEOE-82	2
	From 12/05/05; Inner	MEOE-24	2
	Before 12/05/05; Right Outer	MEOE-111	1
	Before 12/05/05; Left Outer	MEOE-110	1
	Before 12/05/05; Inner	MEOE-44	2

2006 — Freestyle

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-23	2
	Outer	MEOE-112	2

FORD

2006 — Fusion

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-25	2
	Right Outer	MEOE-87	1
	Left Outer	MEOE-88	1

2006 — Mustang

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-45	2
	Outer	MEOE-77	2

2006 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-69	2
	Inner	MEOE-12	2

2005 — Crown Victoria

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Tie Rod	Right Outer	MEOE-72	1
	Left Outer	MEOE-73	1

2005 — Five Hundred

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-23	2
	Outer	MEOE-112	2

FORD

2005 — Focus

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Right Outer	MEOE-111	1
	Left Outer	MEOE-110	1
	Inner	MEOE-44	2

2005 — Freestyle

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-23	2
	Outer	MEOE-112	2

2005 — Mustang

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-45	2
	Outer	MEOE-77	2

2005 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-69	2
	Inner	MEOE-12	2

2005 — Thunderbird

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-21	2
	Right Outer	MEOE-74	1
	Left Outer	MEOE-75	1

FORD

2004 — Crown Victoria

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Tie Rod	Right Outer	MEOE-72	1
	Left Outer	MEOE-73	1

2004 — Focus

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Right Outer	MEOE-111	1
	Left Outer	MEOE-110	1
	LX, SE, ZTS, ZTW, ZX3, ZX5; Inner	MEOE-44	2
	SVT; Inner	MEOE-19	2

2004 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	3.8L, 4.6L SOHC OE Design; Outer	MEOE-67	2
	3.8L, 4.6L SOHC OE Design; Inner	MEOE-36	2
	4.6L DOHC OE Design; Outer	MEOE-71	2
	4.6L DOHC OE Design; Inner	MEOE-36	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2

2004 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-69	2
	Inner	MEOE-12	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2

2004 — Thunderbird

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-21	2

FORD

2004 — Thunderbird — Cont.

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Right Outer	MEOE-74	1
	Left Outer	MEOE-75	1

2003 — Crown Victoria

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Tie Rod	Right Outer	MEOE-72	1
	Left Outer	MEOE-73	1

2003 — Focus

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Right Outer	MEOE-111	1
	OE Design; Left Outer	MEOE-110	1
	LX, SE, ZTS, ZTW, ZX3, ZX5; OE Design; Inner	MEOE-44	2
	SVT; OE Design; Inner	MEOE-19	2
	Optional Type; Right Outer	MES-3587	1
	Optional Type; Left Outer	MES-3588	1
	LX, SE, ZTS, ZTW, ZX3, ZX5; Optional Type; Inner	MES-3591	2

2003 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	3.8L, 4.6L SOHC OE Design; Outer	MEOE-67	2
	3.8L, 4.6L SOHC OE Design; Inner	MEOE-36	2
	4.6L DOHC OE Design; Outer	MEOE-71	2
	4.6L DOHC OE Design; Inner	MEOE-36	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2

2003 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2

FORD

2003 — Taurus — Cont.

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Tie Rod — Cont.	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2

2003 — Thunderbird

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Inner	MEOE-21	2
	Right Outer	MEOE-74	1
	Left Outer	MEOE-75	1

2002 — Crown Victoria

Steering Illustration: 71			Suspension Illustration: 46
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	w/o Special Equipment Package; Lower	MCS-104226	2
	Upper	MCS-104225	2

2002 — Escort

Steering Illustration: 87			Suspension Illustration: 136
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-105	2
	OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104185	2

FORD

2002 — Focus

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Right Outer	MEOE-111	1
	OE Design; Left Outer	MEOE-110	1
	LX, S2, SE, Street, ZTS, ZTW, ZX3, ZX5; OE Design; Inner	MEOE-44	2
	SVT; OE Design; Inner	MEOE-19	2
	Optional Type; Right Outer	MES-3587	1
	Optional Type; Left Outer	MES-3588	1
	LX, S2, SE, Street, ZTS, ZTW, ZX3, ZX5; Optional Type; Inner	MES-3591	2

2002 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	3.8L, 4.6L SOHC OE Design; Outer	MEOE-67	2
	3.8L, 4.6L SOHC OE Design; Inner	MEOE-36	2
	3.8L, 4.6L SOHC Optional Type; Outer	MES-3184	2
	3.8L, 4.6L SOHC Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2

2002 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

2002 — Thunderbird

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Left Inner	MEOE-142	2
	Right Inner	MEOE-143	2
	Left Outer	MEOE-75	1
	Right Outer	MEOE-74	1

FORD

2001 — Crown Victoria

Steering Illustration: 71 — **Suspension Illustration: 46**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	w/o Special Equipment Package; Lower	MCS-104226	2
	Upper	MCS-104225	2

2001 — Escort

Steering Illustration: 87 — **Suspension Illustration: 136**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-105	2
	OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104185	2

2001 — Focus

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Right Outer	MEOE-111	1
	OE Design; Left Outer	MEOE-110	1
	OE Design; Inner	MEOE-44	2
	Optional Type; Right Outer	MES-3587	1
	Optional Type; Left Outer	MES-3588	1
	Optional Type; Inner	MES-3591	2

2001 — Mustang

Steering Illustration: 10 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	3.8L, 4.6L SOHC OE Design; Outer	MEOE-67	2
	3.8L, 4.6L SOHC OE Design; Inner	MEOE-36	2

FORD

2001 — Mustang — Cont.

Steering Illustration: 10 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	4.6L DOHC OE Design; Outer	MEOE-71	2
	4.6L DOHC OE Design; Inner	MEOE-36	2
	3.8L, 4.6L SOHC Optional Type; Outer	MES-3184	2
	3.8L, 4.6L SOHC Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2

2001 — Taurus

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

2000 — Contour

Steering Illustration: 87 — **Suspension Illustration: 182**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Left Outer	MEOE-103	1
	OE Design; Right Outer	MEOE-104	1
	Optional Type; Left Outer	MES-3470	1
	Optional Type; Right Outer	MES-3471	1
	w/15" Wheels; Inner	MEOE-35	2
	w/16" Wheels; Inner	MEOE-39	2
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

2000 — Crown Victoria

Steering Illustration: 71 — **Suspension Illustration: 46**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1

FORD

2000 — Crown Victoria — Cont.

Steering Illustration: 71			Suspension Illustration: 46
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	w/o Special Equipment Package; Lower	MCS-104226	2
	Upper	MCS-104225	2

2000 — Escort

Steering Illustration: 87			Suspension Illustration: 136
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-105	2
	OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104185	2

2000 — Focus

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Right Outer	MEOE-111	1
	OE Design; Left Outer	MEOE-110	1
	OE Design; Inner	MEOE-44	2
	Optional Type; Right Outer	MES-3587	1
	Optional Type; Left Outer	MES-3588	1
	Optional Type; From 6/30/00; Inner	MES-3591	2
	Optional Type; Before 6/30/00; Inner	MES-3590	2

2000 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-67	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3184	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2

Motorcraft

FORD

2000 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1999 — Contour

Steering Illustration: 87			Suspension Illustration: 182
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Left Outer	MEOE-103	1
	OE Design; Right Outer	MEOE-104	1
	Optional Type; Left Outer	MES-3470	1
	Optional Type; Right Outer	MES-3471	1
	w/15" Wheels; Inner	MEOE-35	2
	w/16" Wheels; Inner	MEOE-39	2
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

1999 — Crown Victoria

Steering Illustration: 71			Suspension Illustration: 46
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	w/o Special Equipment Package; Lower	MCS-104226	2
	Upper	MCS-104225	2

FORD

1999 — Escort

Steering Illustration: 87			Suspension Illustration: 136
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-105	2
	OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104185	2

1999 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-67	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3184	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2

1999 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1998 — Contour

Steering Illustration: 87			Suspension Illustration: 182
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Left Outer	MEOE-103	1
	OE Design; Right Outer	MEOE-104	1
	Optional Type; Left Outer	MES-3470	1
	Optional Type; Right Outer	MES-3471	1
	w/15" Wheels; Inner	MEOE-35	2
	w/16" Wheels; Inner	MEOE-39	2

FORD

1998 — Contour — Cont.

Steering Illustration: 87 — **Suspension Illustration: 182**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

1998 — Crown Victoria

Steering Illustration: 71 — **Suspension Illustration: 46**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

1998 — Escort

Steering Illustration: 87 — **Suspension Illustration: 136**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-105	2
	OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104185	2

1998 — Mustang

Steering Illustration: 10 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-67	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3184	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2

FORD

1998 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1997 — Contour

Steering Illustration: 87			Suspension Illustration: 182
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Left Outer	MEOE-103	1
	OE Design; Right Outer	MEOE-104	1
	Optional Type; Left Outer	MES-3470	1
	Optional Type; Right Outer	MES-3471	1
	w/15" Wheels; Inner	MEOE-35	2
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

1997 — Crown Victoria

Steering Illustration: 71			Suspension Illustration: 46
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

Motorcraft

FORD

1997 — Escort

Steering Illustration: 87			Suspension Illustration: 136
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-105	2
	OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104185	2

1997 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-67	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3184	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2

1997 — Probe

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-3197	2
Front Suspension:			
Ball Joint	Lower	MCS-104144	2

1997 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

FORD

1997 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 411
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1996 — Contour

Steering Illustration: 87			Suspension Illustration: 182
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Left Outer	MES-3301	1
	Right Outer	MES-3300	1
	w/15" Wheels; Inner	MEOE-35	2
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

1996 — Crown Victoria

Steering Illustration: 71			Suspension Illustration: 46
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

FORD

1996 — Escort

Steering Illustration: 87			Suspension Illustration: 136
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	1.9L w/PS OE Design; Outer	MEOE-105	2
	OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

1996 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-67	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3184	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2

1996 — Probe

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-3197	2
Front Suspension:			
Ball Joint	Lower	MCS-104144	2

1996 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

FORD

1996 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 411
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1995 — Contour

Steering Illustration: 87			Suspension Illustration: 182
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Left Outer	MES-3301	1
	Right Outer	MES-3300	1
	w/15" Wheels; Inner	MEOE-35	2
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

1995 — Crown Victoria

Steering Illustration: 71			Suspension Illustration: 46
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

FORD

1995 — Escort

Steering Illustration: 87			Suspension Illustration: 136
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	1.9L w/PS OE Design; Outer	MEOE-105	2
	OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

1995 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-67	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3184	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2

1995 — Probe

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-3197	2
Front Suspension:			
Ball Joint	Lower	MCS-104144	2

1995 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	GL, LX, SE; Left Lower	MCS-10854	1
	GL, LX, SE; Right Lower	MCS-10853	1
Sway Bar Link	Lower	MCS-18136	2

FORD

1995 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 411
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1994 — Crown Victoria

Steering Illustration: 71			Suspension Illustration: 46
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Upper	MCS-104156	2
	Lower	MCS-10327	2

1994 — Escort

Steering Illustration: 87			Suspension Illustration: 136
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	1.9L w/PS OE Design; Outer	MEOE-105	2
	w/PS OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	w/PS Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

1994 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-67	2
	OE Design; Inner	MEOE-36	2

FORD

1994 — Mustang — Cont.

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Tie Rod — Cont.	Optional Type; Outer	MES-3184	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2

1994 — Probe

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-3197	2
Front Suspension:			
Ball Joint	Lower	MCS-104144	2

1994 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	GL, LX; Left Lower	MCS-10854	1
	GL, LX; Right Lower	MCS-10853	1
Sway Bar Link	Lower	MCS-18136	2

1994 — Tempo

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2153R	2
	w/Externally Threaded Racks Marked SPR-EW; Inner	MES-3107	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10849	1
	Right Lower	MCS-10848	1

FORD

1994 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 411
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1993 — Crown Victoria

Steering Illustration: 71			Suspension Illustration: 46
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Upper	MCS-104156	2
	Lower	MCS-10327	2

1993 — Escort

Steering Illustration: 87			Suspension Illustration: 136
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	1.9L w/PS OE Design; Outer	MEOE-105	2
	w/PS OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	w/PS Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

1993 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2

FORD

1993 — Mustang — Cont.

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1993 — Probe

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-3197	2
Front Suspension:			
Ball Joint	Lower	MCS-104144	2

1993 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	GL, LX; Left Lower	MCS-10854	1
	GL, LX; Right Lower	MCS-10853	1
Sway Bar Link	Lower	MCS-18136	2

1993 — Tempo

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
	w/Externally Threaded Racks Marked SPR-EW; Inner	MES-3107	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10849	1
	Right Lower	MCS-10848	1

1993 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 411
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2

FORD

1993 — Thunderbird — Cont.

Steering Illustration: 40			Suspension Illustration: 411
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Tie Rod — Cont.	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1992 — Crown Victoria

Steering Illustration: 71			Suspension Illustration: 46
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Upper	MCS-104156	2
	Lower	MCS-10327	2

1992 — Escort

Steering Illustration: 87			Suspension Illustration: 136
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	1.9L w/PS OE Design; Outer	MEOE-105	2
	w/PS OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	w/PS Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

1992 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2

FORD

1992 — Mustang — Cont.

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1992 — Probe

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	Lower	MCS-104144	2

1992 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	GL, L, LX; Left Lower	MCS-10854	1
	GL, L, LX; Right Lower	MCS-10853	1
Sway Bar Link	Lower	MCS-18136	2

1992 — Tempo

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
	w/Externally Threaded Racks Marked SPR-EW; Inner	MES-3107	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10849	1
	Right Lower	MCS-10848	1

1992 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 411
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2

FORD

1992 — Thunderbird — Cont.

Steering Illustration: 40			Suspension Illustration: 411
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18116	2

1991 — Country Squire

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1991 — Escort

Steering Illustration: 87			Suspension Illustration: 136
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	1.9L w/PS OE Design; Outer	MEOE-105	2
	w/PS OE Design; Inner	MEOE-40	2
	Optional Type; Outer	MES-3073	2
	w/PS Optional Type; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

1991 — LTD Crown Victoria

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2

FORD

1991 — LTD Crown Victoria — Cont.

Steering Illustration: 71 — **Suspension Illustration: 105**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1991 — Mustang

Steering Illustration: 10 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1991 — Probe

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	Lower	MCS-104144	2

1991 — Taurus

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	GL, L, LX; Left Lower	MCS-10854	1
	GL, L, LX; Right Lower	MCS-10853	1
Sway Bar Link	Lower	MCS-18136	2

1991 — Tempo

Steering Illustration: 62 — **Suspension Illustration: 135**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
	w/Externally Threaded Racks Marked SPR-EW; Inner	MES-3107	2

FORD

1991 — Tempo — Cont.

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Arm Asy.	Left Lower	MCS-10849	1
	Right Lower	MCS-10848	1

1991 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 411
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18116	2

1990 — Country Squire

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1990 — Escort

Steering Illustration: 87			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10849	1
	Right Lower	MCS-10848	1

Motorcraft

FORD

1990 — LTD Crown Victoria

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1990 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1990 — Probe

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Suspension:			
Ball Joint	Lower	MCS-104144	2

1990 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	GL, L, LX; Left Lower	MCS-10854	1
	GL, L, LX; Right Lower	MCS-10853	1
Sway Bar Link	Lower	MCS-18136	2

FORD

1990 — Tempo

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2153R	2
	From 5/1/90; w/Externally Threaded Racks Marked SPR-EW; Inner	MES-3107	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10849	1
	Right Lower	MCS-10848	1

1990 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 411
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	1
Sway Bar Link		MCS-18116	2

1989 — Country Squire

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1989 — Escort

Steering Illustration: 87			Suspension Illustration: 135
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2153R	2

FORD

1989 — Escort — Cont.

Steering Illustration: 87 — **Suspension Illustration: 135**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1989 — LTD Crown Victoria

Steering Illustration: 71 — **Suspension Illustration: 105**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1989 — Mustang

Steering Illustration: 10 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1989 — Probe

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	Lower	MCS-104144	2

1989 — Taurus

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2

FORD

1989 — Taurus — Cont.

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	GL, L, LX; Right Lower	MCS-10853	1
	GL, L, LX; Left Lower	MCS-10854	1
Sway Bar Link	Lower	MCS-18136	2

1989 — Tempo

Steering Illustration: 62 — **Suspension Illustration: 135**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1989 — Thunderbird

Steering Illustration: 40 — **Suspension Illustration: 411**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18116	2

1988 — Country Squire

Steering Illustration: 71 — **Suspension Illustration: 105**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

FORD

1988 — Escort/EXP

Steering Illustration: 87			Suspension Illustration: 135
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1988 — LTD Crown Victoria

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1988 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1988 — Taurus

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10853	1
	Left Lower	MCS-10854	1
Sway Bar Link	Lower	MCS-18136	2

FORD

1988 — Tempo

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1988 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
	Outer	MES-2150R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1987 — Country Squire

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1987 — Escort/EXP

Steering Illustration: 87			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

Motorcraft

FORD

1987 — LTD Crown Victoria

Steering Illustration: 71		Suspension Illustration: 105	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1987 — Mustang

Steering Illustration: 10		Suspension Illustration: 73	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1987 — Taurus

Steering Illustration: 62		Suspension Illustration: 134	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10853	1
	Left Lower	MCS-10854	1
Sway Bar Link	Lower	MCS-18136	2

1987 — Tempo

Steering Illustration: 62		Suspension Illustration: 135	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

FORD

1987 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
	Outer	MES-2150R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1986 — Escort/EXP

Steering Illustration: 87			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1986 — LTD

Steering Illustration: 71			Suspension Illustration: 42
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1986 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

Motorcraft

FORD

1986 — Taurus

Steering Illustration: 62		Suspension Illustration: 134	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10853	1
	Left Lower	MCS-10854	1
Sway Bar Link	Lower	MCS-18136	2

1986 — Tempo

Steering Illustration: 62		Suspension Illustration: 135	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1986 — Thunderbird

Steering Illustration: 40		Suspension Illustration: 73	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Inner	MES-3092	2
	Outer	MES-2150R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1985 — Escort/EXP

Steering Illustration: 87		Suspension Illustration: 135	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

FORD
1985 — LTD

Steering Illustration: 71			Suspension Illustration: 42
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1985 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1985 — Tempo

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1985 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
	Outer	MES-2150R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

FORD

1984 — Escort/EXP

Steering Illustration: 87			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1984 — LTD

Steering Illustration: 71			Suspension Illustration: 42
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1984 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1984 — Tempo

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	From 8/83; Right Lower	MCS-10848	1
	From 8/83; Left Lower	MCS-10849	1

FORD

1984 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
	Outer	MES-2150R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1983 — Escort/EXP

Steering Illustration: 87			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2

1983 — Fairmont

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1983 — LTD

Steering Illustration: 71			Suspension Illustration: 42
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1983 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2

FORD

1983 — Mustang — Cont.

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1983 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
	Outer	MES-2150R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1982 — Escort/EXP

Steering Illustration: 87			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2

1982 — Fairmont

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1982 — Granada

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

FORD
1982 — LTD

Steering Illustration: 71			Suspension Illustration: 42
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1982 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1982 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
	Outer	MES-2150R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1981 — Escort/EXP

Steering Illustration: 87			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2

FORD

1981 — Fairmont

Steering Illustration: 10		Suspension Illustration: 73	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1981 — Granada

Steering Illustration: 10		Suspension Illustration: 73	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1981 — LTD

Steering Illustration: 71		Suspension Illustration: 42	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1981 — Mustang

Steering Illustration: 10		Suspension Illustration: 73	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

FORD

1981 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1980 — Fairmont

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1980 — LTD

Steering Illustration: 71			Suspension Illustration: 42
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1980 — Mustang

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

FORD

1980 — Pinto

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2

1980 — Thunderbird

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

LINCOLN

2008 — MKZ

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-25	2
	Right Outer	MEOE-87	1
	Left Outer	MEOE-88	1

2007 — MKZ

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-25	2
	Right Outer	MEOE-87	1
	Left Outer	MEOE-88	1

2007 — Town Car

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Right Outer	MEOE-91	1
	Left Outer	MEOE-92	1

LINCOLN

2006 — LS

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-21	2
	Right Outer	MEOE-74	1
	Left Outer	MEOE-75	1

2006 — Town Car

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Right Outer	MEOE-91	1
	Left Outer	MEOE-92	1

2006 — Zephyr

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-25	2
	Right Outer	MEOE-87	1
	Left Outer	MEOE-88	1

2005 — LS

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-21	2
	Right Outer	MEOE-74	1
	Left Outer	MEOE-75	1

2005 — Town Car

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Right Outer	MEOE-72	1
	Left Outer	MEOE-73	1

LINCOLN

2004 — LS

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-21	2
	Right Outer	MEOE-74	1
	Left Outer	MEOE-75	1

2004 — Town Car

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Right Outer	MEOE-72	1
	Left Outer	MEOE-73	1

2003 — LS

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-21	2
	Right Outer	MEOE-74	1
	Left Outer	MEOE-75	1

2003 — Town Car

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Tie Rod	Right Outer	MEOE-72	1
	Left Outer	MEOE-73	1

2002 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-34	2
	Optional Type; Inner	MES-3308	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

LINCOLN

2002 — LS

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Left Inner	MEOE-142	2
	Right Inner	MEOE-143	2
	Right Outer	MEOE-74	1
	Left Outer	MEOE-75	1

2002 — Town Car

Steering Illustration: 71			Suspension Illustration: 184
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

2001 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-34	2
	Optional Type; Inner	MES-3308	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

2001 — LS

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Left Inner	MEOE-142	2
	Right Inner	MEOE-143	2
	Right Outer	MEOE-74	1
	Left Outer	MEOE-75	1

LINCOLN

2001 — Town Car

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

2000 — Continental

Steering Illustration: 40 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-34	2
	Optional Type; Inner	MES-3308	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

2000 — LS

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Left Inner	MEOE-142	2
	Right Inner	MEOE-143	2
	Right Outer	MEOE-74	1
	Left Outer	MEOE-75	1

2000 — Town Car

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1

LINCOLN

2000 — Town Car — Cont.

Steering Illustration: 71		Suspension Illustration: 184	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Idler Arm — Cont.	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

1999 — Continental

Steering Illustration: 40		Suspension Illustration: 73	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-34	2
	Optional Type; Inner	MES-3308	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1999 — Town Car

Steering Illustration: 71		Suspension Illustration: 184	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

LINCOLN

1998 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-34	2
	Optional Type; Inner	MES-3308	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1998 — Mark

Steering Illustration: 40			Suspension Illustration: 139
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-98	2
	Optional Type; Outer	MES-3169	2
	Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10778	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1998 — Town Car

Steering Illustration: 71			Suspension Illustration: 184
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

1997 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-34	2

LINCOLN

1997 — Continental — Cont.

Steering Illustration: 40 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont	Optional Type; Inner	MES-3308	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1997 — Mark

Steering Illustration: 40 — **Suspension Illustration: 139**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-98	2
	Optional Type; Outer	MES-3169	2
	Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10778	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1997 — Town Car

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

1996 — Continental

Steering Illustration: 40 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-34	2
	Optional Type; Inner	MES-3308	2

LINCOLN

1996 — Continental — Cont.

Steering Illustration: 40 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1996 — Mark

Steering Illustration: 40 — **Suspension Illustration: 139**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-98	2
	Optional Type; Outer	MES-3169	2
	Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10778	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1996 — Town Car

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

1995 — Continental

Steering Illustration: 40 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-34	2
	Optional Type; Inner	MES-3308	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2

LINCOLN

1995 — Continental — Cont.

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension: — Cont.			
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1995 — Mark

Steering Illustration: 40			Suspension Illustration: 139
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-98	2
	Optional Type; Outer	MES-3169	2
	Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10778	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1995 — Town Car

Steering Illustration: 71			Suspension Illustration: 184
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

1994 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2

LINCOLN

1994 — Continental — Cont.

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Sway Bar Link	Lower	MCS-18136	2

1994 — Mark

Steering Illustration: 40			Suspension Illustration: 139
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-98	2
	Optional Type; Outer	MES-3169	2
	Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10778	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1994 — Town Car

Steering Illustration: 71			Suspension Illustration: 184
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Upper	MCS-104156	2
	Lower	MCS-10327	2

1993 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Sway Bar Link	Lower	MCS-18136	2

LINCOLN

1993 — Mark

Steering Illustration: 40			Suspension Illustration: 139
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-98	2
	Optional Type; Outer	MES-3169	2
	Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10778	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1993 — Town Car

Steering Illustration: 71			Suspension Illustration: 184
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Upper	MCS-104156	2
	Lower	MCS-10327	2

1992 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Sway Bar Link	Lower	MCS-18136	2

1992 — Mark

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2

Motorcraft

LINCOLN

1992 — Town Car

Steering Illustration: 71			Suspension Illustration: 184
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Upper	MCS-104156	2
	Lower	MCS-10327	2

1991 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Sway Bar Link	Lower	MCS-18136	2

1991 — Mark

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2

1991 — Town Car

Steering Illustration: 71			Suspension Illustration: 184
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Upper	MCS-104156	2
	Lower	MCS-10327	2

LINCOLN

1990 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Sway Bar Link	Lower	MCS-18136	2

1990 — Mark

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2

1990 — Town Car

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1989 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm		MCS-18833	1
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Sway Bar Link	Lower	MCS-18136	2

LINCOLN

1989 — Mark

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2

1989 — Town Car

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1988 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm		MCS-18833	1
Tie Rod	OE Design; Inner	MEOE-36	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3105	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Sway Bar Link	Lower	MCS-18136	2

1988 — Mark

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2

LINCOLN

1988 — Town Car

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1987 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm		MCS-18833	1
Tie Rod	Inner	MES-3092	2

1987 — Mark

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2

1987 — Town Car

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

LINCOLN

1986 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm		MCS-18833	1
Tie Rod	Inner	MES-3092	2

1986 — Mark

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2

1986 — Town Car

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1985 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm		MCS-18833	1
Tie Rod	Inner	MES-3092	2

1985 — Mark

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2

LINCOLN

1985 — Town Car

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1984 — Continental

Steering Illustration: 40			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm		MCS-18833	1
Tie Rod	Inner	MES-3092	2

1984 — Mark

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2

1984 — Town Car

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

LINCOLN

1983 — Continental

Steering Illustration: 40			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm		MCS-18833	1
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2

1983 — Mark

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm		MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1983 — Town Car

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1982 — Continental

Steering Illustration: 40			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm		MCS-18833	1
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2

LINCOLN

1982 — Mark

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm		MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1982 — Town Car

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1981 — Continental

Steering Illustration: 40			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2057L	2
	Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm		MCS-18833	1

Motorcraft

LINCOLN

1981 — Mark

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm		MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1981 — Town Car

Steering Illustration: 71			Suspension Illustration: 184
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1

1980 — Continental

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm		MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1980 — Mark

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm		MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

MERCURY

2008 — Grand Marquis

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Right Outer	MEOE-91	1
	Left Outer	MEOE-92	1

2008 — Milan

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-25	2
	Right Outer	MEOE-87	1
	Left Outer	MEOE-88	1

2007 — Grand Marquis

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Right Outer	MEOE-91	1
	Left Outer	MEOE-92	1

2007 — Milan

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-25	2
	Right Outer	MEOE-87	1
	Left Outer	MEOE-88	1

2007 — Montego

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-23	2
	Outer	MEOE-112	2

MERCURY

2006 — Grand Marquis

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Tie Rod	Right Outer	MEOE-91	1
	Left Outer	MEOE-92	1

2006 — Milan

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-25	2
	Right Outer	MEOE-87	1
	Left Outer	MEOE-88	1

2006 — Montego

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-23	2
	Outer	MEOE-112	2

2005 — Grand Marquis

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Tie Rod	Right Outer	MEOE-72	1
	Left Outer	MEOE-73	1

2005 — Montego

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-23	2
	Outer	MEOE-112	2

MERCURY

2005 — Sable

Steering Illustration: 62		Suspension Illustration: 134	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MEOE-69	2
	Inner	MEOE-12	2

2004 — Grand Marquis

Steering Illustration: N/A		Suspension Illustration: N/A	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-18	1
Tie Rod	Right Outer	MEOE-72	1
	Left Outer	MEOE-73	1

2004 — Sable

Steering Illustration: 62		Suspension Illustration: 134	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MEOE-69	2
	Inner	MEOE-12	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2

2003 — Grand Marquis

Steering Illustration: N/A		Suspension Illustration: N/A	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-18	1
Tie Rod	Right Outer	MEOE-72	1
	Left Outer	MEOE-73	1

2003 — Sable

Steering Illustration: 62		Suspension Illustration: 134	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2

MERCURY

2002 — Cougar

Steering Illustration: 10 — **Suspension Illustration: 139**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Right Outer	MEOE-104	1
	OE Design; Left Outer	MEOE-103	1
	Optional Type; Right Outer	MES-3471	1
	Optional Type; Left Outer	MES-3470	1
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

2002 — Grand Marquis

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

2002 — Sable

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

2001 — Cougar

Steering Illustration: 10 — **Suspension Illustration: 139**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Right Outer	MEOE-104	1
	OE Design; Left Outer	MEOE-103	1

MERCURY

2001 — Cougar — Cont.

Steering Illustration: 10 — **Suspension Illustration: 139**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont	Optional Type; Right Outer	MES-3471	1
	Optional Type; Left Outer	MES-3470	1
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

2001 — Grand Marquis

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

2001 — Sable

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

2000 — Cougar

Steering Illustration: 10 — **Suspension Illustration: 139**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Right Outer	MEOE-104	1
	OE Design; Left Outer	MEOE-103	1

MERCURY

2000 — Cougar — Cont.

Steering Illustration: 10 — **Suspension Illustration: 139**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Optional Type; Right Outer	MES-3471	1
	Optional Type; Left Outer	MES-3470	1
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

2000 — Grand Marquis

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

2000 — Mystique

Steering Illustration: 87 — **Suspension Illustration: 182**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Left Outer	MEOE-103	1
	OE Design; Right Outer	MEOE-104	1
	Optional Type; Left Outer	MES-3470	1
	Optional Type; Right Outer	MES-3471	1
	w/15" Wheels; Inner	MEOE-35	2
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

2000 — Sable

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2

MERCURY

2000 — Sable — Cont.

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1999 — Cougar

Steering Illustration: 10 — **Suspension Illustration: 139**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Right Outer	MEOE-104	1
	OE Design; Left Outer	MEOE-103	1
	Optional Type; Right Outer	MES-3471	1
	Optional Type; Left Outer	MES-3470	1
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

1999 — Grand Marquis

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

1999 — Mystique

Steering Illustration: 87 — **Suspension Illustration: 182**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Left Outer	MEOE-103	1
	OE Design; Right Outer	MEOE-104	1
	Optional Type; Left Outer	MES-3470	1

MERCURY

1999 — Mystique — Cont.

Steering Illustration: 87			Suspension Illustration: 182
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Tie Rod — Cont.	Optional Type; Right Outer	MES-3471	1
	w/15" Wheels; Inner	MEOE-35	2
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

1999 — Sable

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Left	MCS-18194	1
	Lower; Front Right	MCS-18195	1

1999 — Tracer

Steering Illustration: 62			Suspension Illustration: 136
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-3073	2
	w/Externally Threaded Racks Marked SPR-EF; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104185	2

1998 — Grand Marquis

Steering Illustration: 71			Suspension Illustration: 184
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2

MERCURY
1998 — Grand Marquis — Cont.

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

1998 — Mystique

Steering Illustration: 87 — **Suspension Illustration: 182**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Left Outer	MEOE-103	1
	OE Design; Right Outer	MEOE-104	1
	Optional Type; Left Outer	MES-3470	1
	Optional Type; Right Outer	MES-3471	1
	w/15" Wheels; Inner	MEOE-35	2
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

1998 — Sable

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1998 — Tracer

Steering Illustration: 62 — **Suspension Illustration: 136**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-3073	2
	w/Externally Threaded Racks Marked SPR-EF; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104185	2

Motorcraft

MERCURY

1997 — Cougar

Steering Illustration: 40		Suspension Illustration: 139	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1997 — Grand Marquis

Steering Illustration: 71		Suspension Illustration: 184	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

1997 — Mystique

Steering Illustration: 87		Suspension Illustration: 182	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Left Outer	MEOE-103	1
	OE Design; Right Outer	MEOE-104	1
	Optional Type; Left Outer	MES-3470	1
	Optional Type; Right Outer	MES-3471	1
	w/15" Wheels; Inner	MEOE-35	2
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

MERCURY

1997 — Sable

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1997 — Tracer

Steering Illustration: 62			Suspension Illustration: 136
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-3073	2
	w/Externally Threaded Racks Marked SPR-EF; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104185	2

1996 — Cougar

Steering Illustration: 40			Suspension Illustration: 139
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1996 — Grand Marquis

Steering Illustration: 71			Suspension Illustration: 184
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1

MERCURY

1996 — Grand Marquis — Cont.

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

1996 — Mystique

Steering Illustration: 87 — **Suspension Illustration: 182**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Left Outer	MES-3301	1
	Right Outer	MES-3300	1
	w/15" Wheels; Inner	MEOE-35	2
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

1996 — Sable

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-69	2
	OE Design; Inner	MEOE-12	2
	Optional Type; Outer	MES-3349	2
	Optional Type; Inner	MES-3344	2
Front Suspension:			
Ball Joint	Lower	MCS-104217	2
Sway Bar Link	Lower; Front Right	MCS-18195	1
	Lower; Front Left	MCS-18194	1

1996 — Tracer

Steering Illustration: 62 — **Suspension Illustration: 136**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-3073	2
	w/Externally Threaded Racks Marked SPR-EF; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

MERCURY
1995 — Cougar

Steering Illustration: 40		Suspension Illustration: 139	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1995 — Grand Marquis

Steering Illustration: 71		Suspension Illustration: 184	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-18	1
Adjusting Sleeve	Front Left	MES-3311S	1
	Front Right	MES-3311S	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Pitman Arm		MCS-190143	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
	Upper	MCS-104225	2

1995 — Mystique

Steering Illustration: 87		Suspension Illustration: 182	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Left Outer	MES-3301	1
	Right Outer	MES-3300	1
	w/15" Wheels; Inner	MEOE-35	2
Front Suspension:			
Ball Joint	Lower	MCS-104175	2

MERCURY

1995 — Sable

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-70	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3181	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10854	1
	Right Lower	MCS-10853	1
Sway Bar Link	Lower	MCS-18136	2

1995 — Tracer

Steering Illustration: 62 — **Suspension Illustration: 136**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-3073	2
	w/Externally Threaded Racks Marked SPR-EF; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

1994 — Cougar

Steering Illustration: 40 — **Suspension Illustration: 139**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1994 — Grand Marquis

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2

MERCURY

1994 — Grand Marquis — Cont.

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Upper	MCS-104156	2
	Lower	MCS-10327	2

1994 — Sable

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-70	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3181	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10854	1
	Right Lower	MCS-10853	1
Sway Bar Link	Lower	MCS-18136	2

1994 — Topaz

Steering Illustration: 62 — **Suspension Illustration: 135**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
	w/Externally Threaded Racks Marked SPR-EW; Inner	MES-3107	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10849	1
	Right Lower	MCS-10848	1

1994 — Tracer

Steering Illustration: 62 — **Suspension Illustration: 136**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-3073	2
	w/Externally Threaded Racks Marked SPR-EF; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

Motorcraft

MERCURY

1993 — Cougar

Steering Illustration: 40 — **Suspension Illustration: 139**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18128	2

1993 — Grand Marquis

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Upper	MCS-104156	2
	Lower	MCS-10327	2

1993 — Sable

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-70	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3181	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10854	1
	Right Lower	MCS-10853	1
Sway Bar Link	Lower	MCS-18136	2

MERCURY

1993 — Topaz

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
	w/Externally Threaded Racks Marked SPR-EW; Inner	MES-3107	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10849	1
	Right Lower	MCS-10848	1

1993 — Tracer

Steering Illustration: 62			Suspension Illustration: 136
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-3073	2
	w/Externally Threaded Racks Marked SPR-EF; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

1992 — Cougar

Steering Illustration: 40			Suspension Illustration: 139
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18116	2

1992 — Grand Marquis

Steering Illustration: 71			Suspension Illustration: 184
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2

MERCURY

1992 — Grand Marquis — Cont.

Steering Illustration: 71 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	Upper	MCS-104156	2
	Lower	MCS-10327	2

1992 — Sable

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-70	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3181	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10854	1
	Right Lower	MCS-10853	1
Sway Bar Link	Lower	MCS-18136	2

1992 — Topaz

Steering Illustration: 62 — **Suspension Illustration: 135**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
	w/Externally Threaded Racks Marked SPR-EW; Inner	MES-3107	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10849	1
	Right Lower	MCS-10848	1

1992 — Tracer

Steering Illustration: 62 — **Suspension Illustration: 136**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-3073	2
	w/Externally Threaded Racks Marked SPR-EF; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

MERCURY

1991 — Colony Park

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1

1991 — Cougar

Steering Illustration: 40 — **Suspension Illustration: 139**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18116	2

1991 — Grand Marquis

Steering Illustration: 71 — **Suspension Illustration: 105**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1991 — Sable

Steering Illustration: 62 — **Suspension Illustration: 134**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-70	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3181	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10854	1
	Right Lower	MCS-10853	1

MERCURY

1991 — Sable — Cont.

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension: — Cont.			
Sway Bar Link	Lower	MCS-18136	2

1991 — Topaz

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
	w/Externally Threaded Racks Marked SPR-EW; Inner	MES-3107	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10849	1
	Right Lower	MCS-10848	1

1991 — Tracer

Steering Illustration: 62			Suspension Illustration: 136
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-3073	2
	LTS, Trio; Inner	MES-3066	2
Front Suspension:			
Ball Joint	Lower	MCS-104147	2

1990 — Colony Park

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1

1990 — Cougar

Steering Illustration: 40			Suspension Illustration: 139
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1

MERCURY

1990 — Cougar — Cont.

Steering Illustration: 40			Suspension Illustration: 139
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension: — Cont.			
Arm Asy. — Cont.	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18116	2

1990 — Grand Marquis

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1990 — Sable

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-70	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3181	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10854	1
	Right Lower	MCS-10853	1
Sway Bar Link	Lower	MCS-18136	2

1990 — Topaz

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
	From 5/1/90; w/Externally Threaded Racks Marked SPR-EW; Inner	MES-3107	2
Front Suspension:			
Arm Asy.	Left Lower	MCS-10849	1
	Right Lower	MCS-10848	1

MERCURY

1989 — Cougar

Steering Illustration: 40		Suspension Illustration: 139	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-100	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3004	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Upper	MCS-10764	1
	Left Upper	MCS-10763	1
Ball Joint	Lower	MCS-104108	2
Sway Bar Link		MCS-18116	2

1989 — Grand Marquis

Steering Illustration: 71		Suspension Illustration: 105	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1989 — Sable

Steering Illustration: 62		Suspension Illustration: 134	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-70	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3181	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10853	1
	Left Lower	MCS-10854	1
Sway Bar Link	Lower	MCS-18136	2

1989 — Topaz

Steering Illustration: 62		Suspension Illustration: 135	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2153R	2

MERCURY

1989 — Topaz — Cont.

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1988 — Cougar

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1988 — Grand Marquis

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1988 — Sable

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-70	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3181	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10853	1
	Left Lower	MCS-10854	1
Sway Bar Link	Lower	MCS-18136	2

MERCURY

1988 — Topaz

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1987 — Cougar

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1987 — Grand Marquis

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1987 — Lynx/LN7

Steering Illustration: 70			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

MERCURY

1987 — Sable

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Outer	MEOE-70	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Outer	MES-3181	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10853	1
	Left Lower	MCS-10854	1
Sway Bar Link	Lower	MCS-18136	2

1987 — Topaz

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1986 — Capri

Steering Illustration: 62			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1986 — Cougar

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

Motorcraft

MERCURY

1986 — Grand Marquis

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1986 — Lynx/LN7

Steering Illustration: 70			Suspension Illustration: 135
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1986 — Marquis

Steering Illustration: 87			Suspension Illustration: 73
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1986 — Sable

Steering Illustration: 62			Suspension Illustration: 134
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Optional Type; Outer	MES-3181	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10853	1
	Left Lower	MCS-10854	1
Sway Bar Link	Lower	MCS-18136	2

MERCURY

1986 — Topaz

Steering Illustration: 62			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1985 — Capri

Steering Illustration: 62			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1985 — Cougar

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1985 — Grand Marquis

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

Motorcraft

MERCURY

1985 — Lynx/LN7

Steering Illustration: 70			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1985 — Marquis

Steering Illustration: 87			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1985 — Topaz

Steering Illustration: N/A			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1984 — Capri

Steering Illustration: 62			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1984 — Cougar

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2

MERCURY

1984 — Cougar — Cont.

Steering Illustration: 10		Suspension Illustration: 73	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1984 — Grand Marquis

Steering Illustration: 71		Suspension Illustration: 105	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1984 — Lynx/LN7

Steering Illustration: 70		Suspension Illustration: 135	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1984 — Marquis

Steering Illustration: 87		Suspension Illustration: 73	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

Motorcraft

MERCURY

1984 — Topaz

Steering Illustration: N/A			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2
Front Suspension:			
Arm Asy.	Right Lower	MCS-10848	1
	Left Lower	MCS-10849	1

1983 — Capri

Steering Illustration: 62			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1983 — Cougar

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1983 — Grand Marquis

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

MERCURY

1983 — Lynx/LN7

Steering Illustration: 70			Suspension Illustration: 135
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2

1983 — Marquis

Steering Illustration: 87			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1983 — Zephyr

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1982 — Capri

Steering Illustration: 62			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1982 — Cougar

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

MERCURY

1982 — Grand Marquis

Steering Illustration: 71 — **Suspension Illustration: 105**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1

1982 — Lynx/LN7

Steering Illustration: 70 — **Suspension Illustration: 135**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2

1982 — Marquis

Steering Illustration: N/A — **Suspension Illustration: 42**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1982 — Zephyr

Steering Illustration: 10 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2150R	2
	Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1981 — Capri

Steering Illustration: 62 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

MERCURY

1981 — Cougar

Steering Illustration: 10 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1981 — Grand Marquis

Steering Illustration: 71 — **Suspension Illustration: 105**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1

1981 — Lynx/LN7

Steering Illustration: 70 — **Suspension Illustration: 135**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2153R	2

1981 — Marquis

Steering Illustration: N/A — **Suspension Illustration: 42**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1981 — Zephyr

Steering Illustration: 10 — **Suspension Illustration: 73**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

MERCURY

1980 — Bobcat

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2

1980 — Capri

Steering Illustration: 62			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1980 — Cougar

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

1980 — Grand Marquis

Steering Illustration: 71			Suspension Illustration: 105
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-9	1

1980 — Marquis

Steering Illustration: N/A			Suspension Illustration: 42
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Idler Arm	OE Design	MEOE-60	1
	Optional Type	MCS-18833	1
Tie Rod	OE Design; Outer	MEOE-68	2
	OE Design; Inner	MEOE-115	2
	Optional Type; Outer	MES-2057L	2
	Optional Type; Inner	MES-2056R	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

MERCURY
1980 — Zephyr

Steering Illustration: 10			Suspension Illustration: 73
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	w/PS Inner	MES-3092	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2

FORD TRUCK

2008 — Edge

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-30	2

2008 — Explorer

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-26	2
	Outer	MEOE-90	2

2008 — Explorer Sport Trac

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-26	2
	Outer	MEOE-90	2

2008 — F-150

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4WD Inner	MEOE-27	2
	Outer	MEOE-76	2

2008 — F-250 Super Duty, F-350 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD	MEOE-29	1

2008 — F-450 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve		MEOE-29	1

FORD TRUCK

2008 — Ranger

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-31	2
	Outer	MEOE-79	2

2007 — E-150

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Long Rod	MDOE-6	1
Adjusting Sleeve		MEOE-46	2
Tie Rod	Left Outer	MEOE-118	1

2007 — E-250

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Right	MEOE-46	1
	Left	MEOE-47	1

2007 — E-350 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/Single Rear Wheels	MDOE-6	1
	w/Dual Rear Wheels	MDOE-1	1
Adjusting Sleeve	Right	MEOE-46	1
	Left	MEOE-47	1

2007 — E-450 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/Single Rear Wheels	MDOE-6	1
	w/Dual Rear Wheels	MDOE-1	1
Adjusting Sleeve	Right	MEOE-46	1
	Left	MEOE-47	1

FORD TRUCK

2007 — Edge

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-30	2

2007 — Escape

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Gas Inner	MEOE-43	2
	Gas Outer	MEOE-80	2
	Hybrid; Inner	MEOE-28	2
	Hybrid; Outer	MEOE-80	2

2007 — Explorer

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-26	2
	Outer	MEOE-90	2

2007 — Explorer Sport Trac

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-26	2
	Outer	MEOE-90	2

2007 — F-150

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4WD Inner	MEOE-27	2
	Outer	MEOE-76	2

FORD TRUCK

2007 — F-250 Super Duty, F-350 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-7	1
	4WD Inner	MDOE-3	1
	4WD Outer	MEOE-120	1
Adjusting Sleeve	RWD Left	MEOE-49	1
	RWD Right	MEOE-29	1
	4WD Left	MEOE-52	1
	4WD Right	MEOE-29	1
Tie Rod	RWD Left Inner	MEOE-128	1
	4WD Left Outer	MEOE-122	1
	RWD Left Outer	MEOE-127	1
	4WD Right Outer	MEOE-124	1

2007 — F-450 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Right Inner	MDOE-4	1
	Right Outer	MEOE-121	1
Tie Rod	Left Outer	MEOE-123	1
	Right Outer	MEOE-124	1

2007 — F

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	F650, F750; Tie Rod Assy includes Ends & Clamps	MEOE-22	1

2007 — Freestar

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-20	2
	Outer	MEOE-70	2

2007 — Ranger

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-31	2

FORD TRUCK
2007 — Ranger — Cont.

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Outer	MEOE-79	2

2006 — E-150

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Left Inner	MDOE-2	1
	Right Inner	MDOE-2	1
Adjusting Sleeve	From 09/02/05	MEOE-47	2
	Before 09/02/05	MEOE-54	2
Tie Rod	Right Inner	MEOE-84	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-119	1

2006 — E-250

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Right	MDOE-6	1
Adjusting Sleeve	From 09/02/05; Right	MEOE-46	1
	From 09/02/05; Left	MEOE-47	1
	Before 09/02/05; Right	MEOE-51	1
	Before 09/02/05; Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

2006 — E-350 Super Duty

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/Dual Rear Wheels	MDOE-1	1
	w/Single Rear Wheels	MDOE-6	1
Adjusting Sleeve	From 09/02/05; Right	MEOE-46	1
	From 09/02/05; Left	MEOE-47	1
	Before 09/02/05; Right	MEOE-51	1
	Before 09/02/05; Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

FORD TRUCK

2006 — E-450 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/Dual Rear Wheels	MDOE-1	1
	w/Single Rear Wheels	MDOE-6	1
Adjusting Sleeve	From 09/02/05; Right	MEOE-46	1
	From 09/02/05; Left	MEOE-47	1
	Before 09/02/05; Right	MEOE-51	1
	Before 09/02/05; Left	MEOE-54	1

2006 — Escape

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Gas Inner	MEOE-43	2
	Gas Outer	MEOE-80	2
	Hybrid; Inner	MEOE-28	2
	Hybrid; Outer	MEOE-81	2

2006 — Expedition

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-89	2
	Inner	MEOE-18	2

2006 — Explorer

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-26	2
	Outer	MEOE-90	2

2006 — F-150

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4WD Inner	MEOE-27	2
	Outer	MEOE-76	2

FORD TRUCK

2006 — F-250 Super Duty, F-350 Super Duty

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-7	1
	4WD Inner	MDOE-3	1
	4WD Outer	MEOE-120	1
Adjusting Sleeve	RWD Left	MEOE-49	1
	RWD Right	MEOE-29	1
	4WD Left	MEOE-52	1
	4WD Right	MEOE-29	1
Tie Rod	RWD Left Inner	MEOE-128	1
	4WD Left Outer	MEOE-122	1
	RWD Left Outer	MEOE-127	1
	4WD Right Outer	MEOE-124	1

2006 — F-450 Super Duty

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Right Inner	MDOE-4	1
	Right Outer	MEOE-121	1
Tie Rod	Left Outer	MEOE-123	1
	Right Outer	MEOE-124	1

2006 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	F650, F750; Tie Rod Assy includes Ends & Clamps	MEOE-22	1

2006 — Freestar

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-20	2
	Outer	MEOE-70	2

2006 — Ranger

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-31	2

FORD TRUCK

2006 — Ranger — Cont.

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Outer	MEOE-79	2

2005 — E-150, E-150 Club Wagon

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
Adjusting Sleeve		MEOE-54	2
Tie Rod	Right Inner	MEOE-84	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-119	1

2005 — E-250, E-250 Super Duty

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Right	MDOE-6	1
Adjusting Sleeve	Right	MEOE-51	1
	Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

2005 — E-350 Club Wagon, E-350 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Right	MEOE-51	1
	Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

2005 — E-450 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Right	MEOE-51	1

FORD TRUCK
2005 — E-450 Super Duty — Cont.

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Adjusting Sleeve — Cont.	Left	MEOE-54	1

2005 — Escape

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Gas Inner	MEOE-43	2
	Gas Outer	MEOE-80	2
	Hybrid; Inner	MEOE-28	2
	Hybrid; Outer	MEOE-81	2

2005 — Excursion

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pittman	MDOE-8	1
Adjusting Sleeve	4WD Left	MEOE-48	1
	4WD Right	MEOE-50	1
Tie Rod	RWD Right Outer	MEOE-125	1
	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
Front Suspension:			
Steering Knuckle	Right	MEOE-6	1
	Left	MEOE-10	1

2005 — Expedition

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MEOE-62	2
	Inner	MEOE-18	2

FORD TRUCK

2005 — Explorer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4.0L Inner	MEOE-14	2
	4.6L Inner	MEOE-15	2
	Outer	MEOE-79	2

2005 — Explorer Sport Trac

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-16	2
	Outer	MEOE-78	2

2005 — F-150

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4WD Inner	MEOE-27	2
	Outer	MEOE-76	2

2005 — F-250 Super Duty, F-350 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-7	1
	4WD Inner	MDOE-3	1
	4WD Outer	MEOE-120	1
Adjusting Sleeve	RWD Left	MEOE-49	1
	RWD Right	MEOE-29	1
	4WD Left	MEOE-52	1
	4WD Right	MEOE-29	1
Tie Rod	RWD Left Inner	MEOE-128	1
	4WD Left Outer	MEOE-122	1
	RWD Left Outer	MEOE-127	1
	4WD Right Outer	MEOE-124	1

2005 — F-450 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Right Inner	MDOE-4	1

FORD TRUCK
2005 — F-450 Super Duty — Cont.

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Drag Link — Cont.	Right Outer	MEOE-121	1
Tie Rod	Left Outer	MEOE-123	1
	Right Outer	MEOE-124	1

2005 — F

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	F650, F750; Tie Rod Assy includes Ends & Clamps	MEOE-22	1

2005 — Freestar

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-20	2
	Outer	MEOE-70	2

2005 — Ranger

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-31	2
	Outer	MEOE-79	2

2004 — E-150, E-150 Club Wagon

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
Adjusting Sleeve		MEOE-54	2
Tie Rod	Right Inner	MEOE-84	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-119	1

FORD TRUCK

2004 — E-250, E-250 Super Duty

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Right	MDOE-6	1
Adjusting Sleeve	Right	MEOE-51	1
	Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

2004 — E-350 Club Wagon, E-350 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/Single Rear Wheels; Right	MDOE-6	1
	w/Dual Rear Wheels; Right	MDOE-15	1
Adjusting Sleeve	Right	MEOE-51	1
	Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

2004 — E-450 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/Single Rear Wheels	MDOE-6	1
	w/Dual Rear Wheels	MDOE-15	1

2004 — Escape

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-43	2
	OE Design; Outer	MEOE-80	2
	Optional Type; Inner	MES-3606	2

2004 — Excursion

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1

FORD TRUCK

2004 — Excursion — Cont.

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Drag Link — Cont.	4WD Attaches to Pittman	MDOE-8	1
Adjusting Sleeve	4WD Left	MEOE-48	1
	4WD Right	MEOE-50	1
Tie Rod	RWD Right Outer	MEOE-125	1
	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
Front Suspension:			
Steering Knuckle	Right	MEOE-6	1
	Left	MEOE-10	1

2004 — Expedition

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-62	2
	Inner	MEOE-18	2

2004 — Explorer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4.0L Inner	MEOE-14	2
	4.6L Inner	MEOE-15	2
	Outer	MEOE-79	2

2004 — Explorer Sport Trac

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-16	2
	Outer	MEOE-78	2

FORD TRUCK

2004 — F-150 Heritage

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Right	MEOE-57	1
	Left	MEOE-56	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	RWD Right Outer	MEOE-64	1
	RWD Right Inner	MEOE-66	1
	RWD Left Outer	MEOE-63	1
	RWD Left Inner	MEOE-113	1
	4WD Right Outer	MEOE-64	1
	4WD Right Inner	MEOE-66	1
	4WD Left Outer	MEOE-63	1
	4WD Left Inner	MEOE-114	1

2004 — F-250 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-50	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Steering Knuckle	4WD Right	MEOE-6	1
	4WD Left	MEOE-10	1

2004 — F-350 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-29	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1

FORD TRUCK

2004 — F-350 Super Duty — Cont.

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Steering Knuckle	4WD Right	MEOE-6	1
	4WD Left	MEOE-10	1

2004 — F-450 Super Duty

Steering Illustration: 167			Suspension Illustration: 22
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Short Rod; Left Inner	MDOE-8	1
	Long Rod; Right Inner	MEOE-130	1
Adjusting Sleeve	4WD w/1-3/8" Threads	MEOE-48	1
	4WD w/1" Threads	MEOE-50	1
Tie Rod	Short Rod; Left Outer	MEOE-116	1
	Long Rod; Right Outer	MEOE-129	1
Front Suspension:			
Ball Joint	4WD w/Mono Beam Axle; Upper	MCS-104273	2
	4WD w/Mono Beam Axle; Lower	MCS-104149	2

2004 — F

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	F650, F750; Tie Rod Assy includes Ends & Clamps	MEOE-22	1

2004 — Freestar

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-20	2
	Outer	MEOE-70	2

2004 — Ranger

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-33	2

FORD TRUCK

2004 — Ranger — Cont.

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Outer	MEOE-79	2

2004 — F-550 Super Duty

Steering Illustration: 167			Suspension Illustration: 22
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	w/Mono Beam Axle; Lower	MCS-104149	2
	4WD w/Mono Beam Axle; Upper	MCS-104273	2

2003 — E-150, E-150 Club Wagon

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
Adjusting Sleeve		MEOE-54	2
Tie Rod	Right Inner	MEOE-84	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-119	1

2003 — E-250

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Right	MDOE-6	1
Adjusting Sleeve	Right	MEOE-51	1
	Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

2003 — E-350, E-350 Club Wagon

Steering Illustration: N/A			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/Single Rear Wheels; Right	MDOE-6	1
	w/Dual Rear Wheels; Right	MDOE-15	1
Adjusting Sleeve	Front Right	MEOE-51	1
	Front Left	MEOE-54	1

FORD TRUCK
2003 — E-350, E-350 Club Wagon — Cont.

Steering Illustration: N/A — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

2003 — E-450 Super Duty

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/Single Rear Wheels	MDOE-6	1
	w/Dual Rear Wheels	MDOE-15	1

2003 — Escape

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-43	2
	OE Design; Outer	MEOE-80	2
	Optional Type; Inner	MES-3606	2

2003 — Excursion

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pittman	MDOE-8	1
Adjusting Sleeve	4WD Left	MEOE-48	1
	4WD Right	MEOE-50	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
Front Suspension:			
Steering Knuckle	Right	MEOE-6	1
	Left	MEOE-10	1

FORD TRUCK

2003 — Expedition

Steering Illustration: N/A		Suspension Illustration: N/A	
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-62	2
	Inner	MEOE-18	2

2003 — Explorer

Steering Illustration: 62		Suspension Illustration: 176	
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4.0L OE Design; Inner	MEOE-14	2
	4.6L OE Design; Inner	MEOE-15	2
	OE Design; Outer	MEOE-79	2
	4.0L Optional Type; Inner	MES-3603	2
	4.6L Optional Type; Inner	MES-3604	2
	Optional Type; Outer	MES-3461	2

2003 — Explorer Sport

Steering Illustration: N/A		Suspension Illustration: N/A	
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-16	2
	Outer	MEOE-78	2

2003 — Explorer Sport Trac

Steering Illustration: N/A		Suspension Illustration: N/A	
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-16	2
	Outer	MEOE-78	2

2003 — F-150

Steering Illustration: 3		Suspension Illustration: 31	
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Right	MEOE-57	1
	Left	MEOE-56	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	Right Outer	MEOE-64	1
	Left Outer	MEOE-63	1
	RWD Right Inner	MEOE-65	1

FORD TRUCK
2003 — F-150 — Cont.

Steering Illustration: 3 **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	RWD Left Inner	MEOE-113	1
	4WD Right Inner	MEOE-66	1
	4WD Left Inner	MEOE-114	1

2003 — F-250 Super Duty

Steering Illustration: N/A **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-50	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Steering Knuckle	RWD Right	MEOE-7	1
	RWD Left	MEOE-11	1
	4WD Right	MEOE-6	1
	4WD Left	MEOE-10	1

2003 — F-350 Super Duty

Steering Illustration: N/A **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-29	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Steering Knuckle	RWD Right	MEOE-7	1
	RWD Left	MEOE-11	1
	4WD Right	MEOE-6	1
	4WD Left	MEOE-10	1

FORD TRUCK
2003 — F-450 Super Duty

Steering Illustration: 167 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Short Rod; Left Inner	MDOE-8	1
	Long Rod; Right Inner	MEOE-130	1
Adjusting Sleeve	4WD w/1-3/8" Threads	MEOE-48	1
	4WD w/1" Threads	MEOE-50	1
Tie Rod	Short Rod; Left Outer	MEOE-116	1
	Long Rod; Right Outer	MEOE-129	1
Front Suspension:			
Ball Joint	4WD w/Mono Beam Axle; Upper	MCS-104273	2
	4WD w/Mono Beam Axle; Lower	MCS-104149	2

2003 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	F650, F750; w/7000# Front Axle; Right Outer	MEOE-99	1
	F650, F750; w/7000# Front Axle; Left Outer	MEOE-135	1
	F650, F750; w/9000# Front Axle; Long Rod	MEOE-41	1
	F650, F750; w/12,000# Front Axle; Long Rod	MEOE-42	1
	F650, F750; w/12,000# Front Axle; Right Outer	MEOE-102	1
	F650, F750; w/12,000# Front Axle; Left Outer	MEOE-139	1

2003 — Ranger

Steering Illustration: 40 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2

2003 — Windstar

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-13	2
	Outer	MEOE-70	2
Front Suspension:			
Ball Joint	Lower	MCS-104226	2
Steering Knuckle	Right	MEOE-5	1
	Left	MEOE-9	1

FORD TRUCK

2003 — F-550 Super Duty

Steering Illustration: 167			Suspension Illustration: 22
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Suspension:			
Ball Joint	w/Mono Beam Axle; Lower	MCS-104149	2
	4WD w/Mono Beam Axle; Upper	MCS-104273	2

2002 — E-150 Econoline, E-150 Econoline Club Wagon

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
	Optional Type; Left Inner	MDS-1288	1
	Optional Type; Right Inner	MDS-1286	1
Adjusting Sleeve	OE Design	MEOE-54	2
	Optional Type	MES-2079S	2
Tie Rod	OE Design; Right Inner	MEOE-84	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-119	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104172	2

2002 — E-250 Econoline

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; Right	MDOE-6	1
	Optional Type; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Right	MEOE-51	1
	OE Design; Left	MEOE-54	1
	Optional Type; Right	MES-2012S	1
	Optional Type; Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104173	2

FORD TRUCK

2002 — E-350 Econoline, E-350 Econoline Club Wagon

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; w/Single Rear Wheels; Right	MDOE-6	1
	OE Design; w/Dual Rear Wheels; Right	MDOE-15	1
	Optional Type; w/Single Rear Wheels; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
	Optional Type; Front Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104173	2
Rear Suspension:			
Sway Bar Link		MCS-18137	1

2002 — Escape

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-43	2
	OE Design; Outer	MEOE-80	2
	Optional Type; Inner	MES-3606	2

2002 — Excursion

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pittman	MDOE-8	1
Adjusting Sleeve	4WD Left	MEOE-48	1
	4WD Right	MEOE-50	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
Front Suspension:			
Ball Joint	Upper	MCS-104273	2
	Lower	MCS-104149	2
Steering Knuckle	Right	MEOE-6	1
	Left	MEOE-10	1

FORD TRUCK

2002 — Expedition

Steering Illustration: 3			Suspension Illustration: 31
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Adjusting Sleeve	Front Left	MES-3368S	1
	Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; Left Upper	MCS-10753	1
	4WD Includes Bushings; Right Upper	MCS-10754	1
Ball Joint	Lower	MCS-104222	2

2002 — Explorer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	4.0L OE Design; Inner	MEOE-14	2
	4.6L OE Design; Inner	MEOE-15	2
	OE Design; Outer	MEOE-79	2
	4.0L Optional Type; Inner	MES-3603	2
	4.6L Optional Type; Inner	MES-3604	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Ball Joint	Lower	MCS-104222	2
Sway Bar Link		MCS-18155	2

2002 — Explorer Sport

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Inner	MEOE-16	2
	Outer	MEOE-78	2

FORD TRUCK
2002 — Explorer Sport Trac

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-16	2
	Outer	MEOE-78	2

2002 — F-150

Steering Illustration: 3			Suspension Illustration: 31
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Left	MEOE-56	1
	OE Design; Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; Right Upper	MCS-10754	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	RWD Includes Bushings; Left Upper	MCS-10751	1
Ball Joint	U/8500 GVW; Lower	MCS-104222	2
Sway Bar Link	4WD	MCS-18228	2

2002 — F-250 Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-50	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1

FORD TRUCK
2002 — F-250 Super Duty — Cont.

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Ball Joint	RWD w/Mono Beam Axle; Lower	MCS-104149	2
	RWD w/Mono Beam Axle; Upper	MCS-104273	2
	RWD w/Twin I-Beam Axle; Lower	MCS-104274	2
	RWD w/Twin I-Beam Axle; Upper	MCS-104275	2
	4WD Lower	MCS-104149	2
	4WD Upper	MCS-104273	2
Steering Knuckle	RWD Right	MEOE-7	1
	RWD Left	MEOE-11	1
	4WD Right	MEOE-6	1
	4WD Left	MEOE-10	1

2002 — F-350 Super Duty

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-29	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Ball Joint	RWD w/Mono Beam Axle; Lower	MCS-104149	2
	RWD w/Mono Beam Axle; Upper	MCS-104273	2
	RWD w/Twin I-Beam Axle; Lower	MCS-104274	2
	RWD w/Twin I-Beam Axle; Upper	MCS-104275	2
	4WD w/Mono Beam Axle; Lower	MCS-104149	2
	4WD Upper	MCS-104273	2
Steering Knuckle	RWD Right	MEOE-7	1
	RWD Left	MEOE-11	1
	4WD Right	MEOE-6	1
	4WD Left	MEOE-10	1

2002 — F-450 Super Duty

Steering Illustration: 167 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Short Rod; Left Inner	MDOE-8	1

FORD TRUCK
2002 — F-450 Super Duty — Cont.

Steering Illustration: 167 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Drag Link — Cont.	Long Rod; Right Inner	MEOE-130	1
Adjusting Sleeve	4WD w/1-3/8" Threads	MEOE-48	1
	4WD w/1" Threads	MEOE-50	1
Tie Rod	Short Rod; Left Outer	MEOE-116	1
	Long Rod; Right Outer	MEOE-129	1
Front Suspension:			
Ball Joint	w/Mono Beam Axle; Upper	MCS-104273	2
	w/Mono Beam Axle; Lower	MCS-104149	2

2002 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	F650, F750; w/7000# Front Axle; Right Outer	MEOE-99	1
	F650, F750; w/7000# Front Axle; Left Outer	MEOE-135	1
	F650, F750; w/9000# Front Axle; Long Rod	MEOE-41	1
	F650, F750; w/12,000# Front Axle; Long Rod	MEOE-42	1
	F650, F750; w/12,000# Front Axle; Right Outer	MEOE-102	1
	F650, F750; w/12,000# Front Axle; Left Outer	MEOE-139	1

2002 — Ranger

Steering Illustration: 40 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	w/Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	w/Torsion Bar Suspension; Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
	w/Coil Spring Suspension; Upper	MCS-104261	2
Sway Bar Link		MCS-18155	2
Rear Suspension:			
Sway Bar Link	4WD	MCS-18155	2

2002 — Windstar

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-13	2

FORD TRUCK
2002 — Windstar — Cont.

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Tie Rod — Cont.	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3182	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Steering Knuckle	Right	MEOE-5	1
	Left	MEOE-9	1
Sway Bar Link		MCS-18136	2

2002 — E-450 Econoline Super Duty

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	w/Single Rear Wheels	MDOE-6	1
	w/Dual Rear Wheels	MDOE-15	1

2002 — F-550 Super Duty

Steering Illustration: 167			Suspension Illustration: 22
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Suspension:			
Ball Joint	w/Mono Beam Axle; Upper	MCS-104273	2
	w/Mono Beam Axle; Lower	MCS-104149	2

2001 — E-150 Econoline, E-150 Econoline Club Wagon

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
	Optional Type; Left Inner	MDS-1288	1
	Optional Type; Right Inner	MDS-1286	1
Adjusting Sleeve	OE Design	MEOE-54	2
	Optional Type	MES-2079S	2
Tie Rod	OE Design; Right Inner	MEOE-84	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-119	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104172	2

FORD TRUCK

2001 — E-250 Econoline

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; Right	MDOE-6	1
	Optional Type; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Right	MEOE-51	1
	OE Design; Left	MEOE-54	1
	Optional Type; Right	MES-2012S	1
	Optional Type; Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104173	2

2001 — E-350 Econoline, E-350 Econoline Club Wagon

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; w/Single Rear Wheels; Right	MDOE-6	1
	OE Design; w/Dual Rear Wheels; Right	MDOE-15	1
	Optional Type; w/Single Rear Wheels; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
	Optional Type; Front Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104173	2
Rear Suspension:			
Sway Bar Link		MCS-18137	1

2001 — Escape

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-43	2
	OE Design; Outer	MEOE-80	2
	Optional Type; Inner	MES-3606	2

FORD TRUCK
2001 — Excursion

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pittman	MDOE-8	1
Adjusting Sleeve	4WD Left	MEOE-48	1
	4WD Right	MEOE-50	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
Front Suspension:			
Ball Joint	Upper	MCS-104273	2
	Lower	MCS-104149	2
Steering Knuckle	Right	MEOE-6	1
	Left	MEOE-10	1

2001 — Expedition

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Front Left	MES-3368S	1
	Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	RWD Includes Bushings; Left Upper	MCS-10751	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	4WD Includes Bushings; Right Upper	MCS-10754	1
Ball Joint	Lower	MCS-104222	2
Sway Bar Link		MCS-18228	2

FORD TRUCK

2001 — Explorer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	Lower	MCS-104222	2
	Torsion Bar Suspension; Front Right Upper	MCS-104230	1
Sway Bar Link		MCS-18155	2

2001 — Explorer Sport

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-16	2
	Outer	MEOE-78	2

2001 — Explorer Sport Trac

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-16	2
	Outer	MEOE-78	2

2001 — F-150

Steering Illustration: 3			Suspension Illustration: 31
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Left	MEOE-56	1
	OE Design; Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1

FORD TRUCK
2001 — F-150 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; Right Upper	MCS-10754	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	RWD Includes Bushings; Left Upper	MCS-10751	1
Ball Joint	U/8500 GVW; Lower	MCS-104222	2
Sway Bar Link	4WD	MCS-18228	2

2001 — F-250 Super Duty

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-50	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Ball Joint	RWD w/Mono Beam Axle; Lower	MCS-104149	2
	RWD w/Mono Beam Axle; Upper	MCS-104273	2
	RWD w/Twin I-Beam Axle; Lower	MCS-104274	2
	RWD w/Twin I-Beam Axle; Upper	MCS-104275	2
	4WD Lower	MCS-104149	2
	4WD Upper	MCS-104273	2
Steering Knuckle	RWD Right	MEOE-7	1
	RWD Left	MEOE-11	1
	4WD w/3.73,4.10,4.30 axle ratio; Right	MEOE-6	1
	4WD w/3.73,4.10,4.30 axle ratio; Left	MEOE-10	1
	4WD w/4.88,5.38 axle ratio; Right	MEOE-7	1
	4WD w/4.88,5.38 axle ratio; Left	MEOE-11	1

2001 — F-350 Super Duty

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1

FORD TRUCK
2001 — F-350 Super Duty — Cont.

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-29	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Ball Joint	RWD w/Mono Beam Axle; Lower	MCS-104149	2
	RWD w/Mono Beam Axle; Upper	MCS-104273	2
	RWD w/Twin I-Beam Axle; Lower	MCS-104274	2
	RWD w/Twin I-Beam Axle; Upper	MCS-104275	2
	4WD w/Mono Beam Axle; Lower	MCS-104149	2
	4WD Upper	MCS-104273	2
Steering Knuckle	RWD Right	MEOE-7	1
	RWD Left	MEOE-11	1
	4WD w/3.73,4.10,4.30 axle ratio; Right	MEOE-6	1
	4WD w/3.73,4.10,4.30 axle ratio; Left	MEOE-10	1
	4WD w/4.88,5.38 axle ratio; Right	MEOE-7	1
	4WD w/4.88,5.38 axle ratio; Left	MEOE-11	1

2001 — F-450 Super Duty

Steering Illustration: 167 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Short Rod; Left Inner	MDOE-8	1
	Long Rod; Right Inner	MEOE-130	1
Adjusting Sleeve	4WD w/1-3/8" Threads	MEOE-48	1
	4WD w/1" Threads	MEOE-50	1
Tie Rod	Short Rod; Left Outer	MEOE-116	1
	Long Rod; Right Outer	MEOE-129	1
Front Suspension:			
Ball Joint	w/Mono Beam Axle; Upper	MCS-104273	2
	w/Mono Beam Axle; Lower	MCS-104149	2

2001 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	F650, F750; w/7000# Front Axle; Right Outer	MEOE-99	1
	F650, F750; w/7000# Front Axle; Left Outer	MEOE-135	1
	F650, F750; w/9000# Front Axle; Long Rod	MEOE-41	1
	F650, F750; w/12,000# Front Axle; Long Rod	MEOE-42	1
	F650, F750; w/12,000# Front Axle; Right Outer	MEOE-102	1

FORD TRUCK
2001 — F — Cont.

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	F650, F750; w/12,000# Front Axle; Left Outer	MEOE-139	1

2001 — Ranger

Steering Illustration: 40			Suspension Illustration: 31
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	w/Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	w/Torsion Bar Suspension; Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
	w/Coil Spring Suspension; Upper	MCS-104261	2
Sway Bar Link		MCS-18155	2
Rear Suspension:			
Sway Bar Link	4WD	MCS-18155	2

2001 — Windstar

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-13	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3182	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Steering Knuckle	Right	MEOE-5	1
	Left	MEOE-9	1
Sway Bar Link		MCS-18136	2

2001 — E-450 Econoline Super Duty

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-15	1
Adjusting Sleeve	Right	MEOE-51	1
	Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

FORD TRUCK

2001 — F-550 Super Duty

Steering Illustration: 167 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	w/Mono Beam Axle; Upper	MCS-104273	2
	w/Mono Beam Axle; Lower	MCS-104149	2

2000 — E-150 Econoline, E-150 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
	Optional Type; Left Inner	MDS-1288	1
	Optional Type; Right Inner	MDS-1286	1
Adjusting Sleeve	OE Design	MEOE-54	2
	Optional Type	MES-2079S	2
Tie Rod	OE Design; Right Inner	MEOE-84	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-119	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104172	2

2000 — E-250 Econoline

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Right	MDOE-6	1
	Optional Type; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Right	MEOE-51	1
	OE Design; Left	MEOE-54	1
	Optional Type; Right	MES-2012S	1
	Optional Type; Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104173	2

FORD TRUCK

2000 — E-350 Econoline, E-350 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; w/Single Rear Wheels; Right	MDOE-6	1
	OE Design; w/Dual Rear Wheels; Right	MDOE-15	1
	Optional Type; w/Singlel Rear Wheels; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
	Optional Type; Front Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104173	2
Rear Suspension:			
Sway Bar Link		MCS-18137	1

2000 — Excursion

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pittman	MDOE-8	1
Adjusting Sleeve	4WD Left	MEOE-48	1
	4WD Right	MEOE-50	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
Front Suspension:			
Ball Joint	Upper	MCS-104273	2
	Lower	MCS-104149	2
Steering Knuckle	Right	MEOE-6	1
	Left	MEOE-10	1

2000 — Expedition

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Front Left	MES-3368S	1
	Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1

FORD TRUCK

2000 — Expedition — Cont.

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Idler Arm — Cont.	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	RWD Includes Bushings; Left Upper	MCS-10751	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	4WD Includes Bushings; Right Upper	MCS-10754	1
Ball Joint	Lower	MCS-104222	2
Sway Bar Link		MCS-18228	2

2000 — Explorer

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	Torsion Bar Suspension; Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
Sway Bar Link		MCS-18155	2

2000 — F-150

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Left	MEOE-56	1
	OE Design; Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1

Motorcraft

FORD TRUCK
2000 — F-150 — Cont.

Steering Illustration: 3 **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	RWD OE Design; Left Inner	MEOE-113	1
	RWD OE Design; Right Inner	MEOE-65	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Left Inner	MES-3365R	1
	RWD Optional Type; Right Inner	MES-3364L	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; Right Upper	MCS-10754	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	RWD Includes Bushings; Left Upper	MCS-10751	1
Ball Joint	U/8500 GVW; Lower	MCS-104222	2
Sway Bar Link	4WD	MCS-18228	2

2000 — F-250 Super Duty

Steering Illustration: N/A **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-50	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Ball Joint	RWD w/Mono Beam Axle; Lower	MCS-104149	2
	RWD w/Mono Beam Axle; Upper	MCS-104273	2
	RWD w/Twin I-Beam Axle; Lower	MCS-104274	2
	RWD w/Twin I-Beam Axle; Upper	MCS-104275	2
	4WD Lower	MCS-104149	2
	4WD Upper	MCS-104273	2
Steering Knuckle	RWD Right	MEOE-7	1
	RWD Left	MEOE-11	1
	4WD w/3.73,4.10,4.30 axle ratio; Right	MEOE-6	1
	4WD w/3.73,4.10,4.30 axle ratio; Left	MEOE-10	1
	4WD w/4.88,5.38 axle ratio; Right	MEOE-7	1
	4WD w/4.88,5.38 axle ratio; Left	MEOE-11	1

FORD TRUCK

2000 — F-350 Super Duty

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-29	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Ball Joint	RWD w/Mono Beam Axle; Lower	MCS-104149	2
	RWD w/Mono Beam Axle; Upper	MCS-104273	2
	RWD w/Twin I-Beam Axle; Lower	MCS-104274	2
	RWD w/Twin I-Beam Axle; Upper	MCS-104275	2
	4WD w/Mono Beam Axle; Lower	MCS-104149	2
	4WD Upper	MCS-104273	2
Steering Knuckle	RWD Right	MEOE-7	1
	RWD Left	MEOE-11	1
	4WD w/3.73,4.10,4.30 axle ratio; Right	MEOE-6	1
	4WD w/3.73,4.10,4.30 axle ratio; Left	MEOE-10	1
	4WD w/4.88,5.38 axle ratio; Right	MEOE-7	1
	4WD w/4.88,5.38 axle ratio; Left	MEOE-11	1

2000 — F-450 Super Duty

Steering Illustration: 167 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Short Rod; Left Inner	MDOE-8	1
	Long Rod; Right Inner	MEOE-130	1
Adjusting Sleeve	4WD w/1-3/8" Threads	MEOE-48	1
	4WD w/1" Threads	MEOE-50	1
Tie Rod	Short Rod; Left Outer	MEOE-116	1
	Long Rod; Right Outer	MEOE-129	1
Front Suspension:			
Ball Joint	w/Mono Beam Axle; Upper	MCS-104273	2
	w/Mono Beam Axle; Lower	MCS-104149	2

2000 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	F650, F750; w/7000# Front Axle; Right Outer	MEOE-99	1
	F650, F750; w/7000# Front Axle; Left Outer	MEOE-135	1

FORD TRUCK
2000 — F — Cont.

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	F650, F750; w/9000# Front Axle; Long Rod	MEOE-41	1
	F650, F750; w/12,000# Front Axle; Long Rod	MEOE-42	1
	F650, F750; w/12,000# Front Axle; Right Outer	MEOE-102	1
	F650, F750; w/12,000# Front Axle; Left Outer	MEOE-139	1

2000 — Ranger

Steering Illustration: 40 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	w/Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	w/Torsion Bar Suspension; Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
	w/Coil Spring Suspension; Left Upper	MCS-104261	2
Sway Bar Link		MCS-18155	2
Rear Suspension:			
Sway Bar Link	4WD	MCS-18155	2

2000 — Windstar

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-13	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3182	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Steering Knuckle	Right	MEOE-5	1
	Left	MEOE-9	1
Sway Bar Link		MCS-18136	2

2000 — E-450 Econoline Super Duty

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-6	1
Adjusting Sleeve	Right	MEOE-51	1
	Left	MEOE-54	1

FORD TRUCK

2000 — E-450 Econoline Super Duty — Cont.

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

2000 — F-550 Super Duty

Steering Illustration: 167 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	w/Mono Beam Axle; Upper	MCS-104273	2
	w/Mono Beam Axle; Lower	MCS-104149	2

1999 — E-150 Econoline, E-150 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
	Optional Type; Left Inner	MDS-1288	1
	Optional Type; Right Inner	MDS-1286	1
Adjusting Sleeve	OE Design	MEOE-54	2
	Optional Type	MES-2079S	2
Tie Rod	OE Design; Right Inner	MEOE-84	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-119	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104172	2

1999 — E-250 Econoline

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Right	MDOE-6	1
	Optional Type; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Right	MEOE-51	1
	OE Design; Left	MEOE-54	1
	Optional Type; Right	MES-2012S	1
	Optional Type; Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1

FORD TRUCK

1999 — E-250 Econoline — Cont.

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104173	2

1999 — E-350 Econoline, E-350 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; w/Single Rear Wheels; Right	MDOE-6	1
	OE Design; w/Dual Rear Wheels; Right	MDOE-15	1
	Optional Type; w/Single Rear Wheels; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
	Optional Type; Front Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104173	2
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1999 — Econoline Super Duty

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-6	1
Adjusting Sleeve	Right	MEOE-51	1
	Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

FORD TRUCK

1999 — Expedition

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Front Left	MES-3368S	1
	Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; Right Upper	MCS-10754	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	RWD Includes Bushings; Left Upper	MCS-10751	1
Ball Joint	Lower	MCS-104222	2
Sway Bar Link		MCS-18228	2

1999 — Explorer

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	Torsion Bar Suspension; Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
Sway Bar Link		MCS-18155	2

1999 — F-150

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Left	MEOE-56	1
	OE Design; Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1

FORD TRUCK
1999 — F-150 — Cont.

Steering Illustration: 3 **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; Right Upper	MCS-10754	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	RWD Includes Bushings; Left Upper	MCS-10751	1
Ball Joint	U/8500 GVW; Lower	MCS-104222	2
Sway Bar Link	4WD	MCS-18228	2

1999 — F-250

Steering Illustration: 3 **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD U/8500 GVW	MDOE-22	1
	RWD O/8500 GVW	MDOE-11	1
Adjusting Sleeve	RWD OE Design; U/8500 GVW; Left	MEOE-56	1
	RWD OE Design; U/8500 GVW; Right	MEOE-57	1
	RWD Optional Type; U/8500 GVW; Front Left	MES-3368S	1
	RWD Optional Type; U/8500 GVW; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	RWD U/8500 GVW; OE Design; Right Outer	MEOE-64	1
	RWD U/8500 GVW; OE Design; Left Outer	MEOE-63	1
	RWD U/8500 GVW; OE Design; Right Inner	MEOE-65	1
	RWD U/8500 GVW; OE Design; Left Inner	MEOE-113	1
	RWD U/8500 GVW; Optional Type; Right Outer	MES-3367	1
	RWD U/8500 GVW; Optional Type; Left Outer	MES-3366	1
	RWD U/8500 GVW; Optional Type; Right Inner	MES-3364L	1
	RWD U/8500 GVW; Optional Type; Left Inner	MES-3365R	1
Front Suspension:			
Arm Asy.	RWD Includes Bushings; U/8500 GVW; Right Upper	MCS-10752	1
	RWD Includes Bushings; U/8500 GVW; Left Upper	MCS-10751	1
Ball Joint	RWD U/8500 GVW; Lower	MCS-104222	2
Sway Bar Link	RWD U/8500 GVW	MCS-18228	2

FORD TRUCK
1999 — F-250 — Cont.

Steering Illustration: 8 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD	MDOE-24	1
Adjusting Sleeve	4WD U/8500 GVW; Front Left	MES-3368S	1
	4WD U/8500 GVW; Front Right	MES-3368S	1
Tie Rod	4WD U/8500 GVW; OE Design; Right Outer	MEOE-64	1
	4WD U/8500 GVW; OE Design; Left Outer	MEOE-63	1
	4WD U/8500 GVW; OE Design; Right Inner	MEOE-66	1
	4WD U/8500 GVW; OE Design; Left Inner	MEOE-114	1
	4WD U/8500 GVW; Optional Type; Right Outer	MES-3367	1
	4WD U/8500 GVW; Optional Type; Left Outer	MES-3366	1
	4WD U/8500 GVW; Optional Type; Right Inner	MES-3370	1
	4WD U/8500 GVW; Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; U/8500 GVW; Right Upper	MCS-10754	1
	4WD U500 GVW; Includes Bushings; Left Upper	MCS-10753	1
Ball Joint	4WD U/8500 GVW; Lower	MCS-104222	2
Sway Bar Link	4WD U/8500 GVW	MCS-18228	2

1999 — F-250 Super Duty

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-50	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Ball Joint	RWD w/Mono Beam Axle; Lower	MCS-104149	2
	RWD w/Mono Beam Axle; Upper	MCS-104273	2
	RWD w/Twin I-Beam Axle; Lower	MCS-104274	2
	RWD w/Twin I-Beam Axle; Upper	MCS-104275	2
	4WD Lower	MCS-104149	2
	4WD Upper	MCS-104273	2
Steering Knuckle	RWD Right	MEOE-7	1
	RWD Left	MEOE-11	1
	4WD w/3.73,4.10,4.30 axle ratio; Right	MEOE-6	1
	4WD w/3.73,4.10,4.30 axle ratio; Left	MEOE-10	1
	4WD w/4.88,5.38 axle ratio; Right	MEOE-7	1
	4WD w/4.88,5.38 axle ratio; Left	MEOE-11	1

FORD TRUCK

1999 — F-350 Super Duty

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Right Inner	MDOE-5	1
	4WD Attaches to Pitman	MDOE-8	1
Adjusting Sleeve	RWD w/7/8" Threads	MEOE-49	1
	RWD w/1" Threads	MEOE-29	1
	4WD w/1" Threads	MEOE-50	1
	4WD w/1-3/8" Threads	MEOE-48	1
Tie Rod	RWD Left Inner	MEOE-85	1
	RWD Left Outer	MEOE-86	1
	RWD Right Outer	MEOE-125	1
	4WD Attaches to Tie Rod and Drag Link; Inner	MEOE-130	1
	4WD Attaches to Steering Knuckle; Left Outer	MEOE-116	1
	4WD Long Rod Attaches to Steering Knuckle; Right Outer	MEOE-117	1
Front Suspension:			
Ball Joint	RWD w/Mono Beam Axle; Lower	MCS-104149	2
	RWD w/Mono Beam Axle; Upper	MCS-104273	2
	RWD w/Twin I-Beam Axle; Lower	MCS-104274	2
	RWD w/Twin I-Beam Axle; Upper	MCS-104275	2
	4WD w/Mono Beam Axle; Lower	MCS-104149	2
	4WD Upper	MCS-104273	2
Steering Knuckle	RWD Right	MEOE-7	1
	RWD Left	MEOE-11	1
	4WD w/3.73,4.10,4.30 axle ratio; Right	MEOE-6	1
	4WD w/3.73,4.10,4.30 axle ratio; Left	MEOE-10	1
	4WD w/4.88,5.38 axle ratio; Right	MEOE-7	1
	4WD w/4.88,5.38 axle ratio; Left	MEOE-11	1

1999 — F-450 Super Duty

Steering Illustration: 167 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Short Rod; Left Inner	MDOE-8	1
	Long Rod; Right Inner	MEOE-130	1
Adjusting Sleeve	4WD w/1-3/8" Threads	MEOE-48	1
	4WD w/1" Threads	MEOE-50	1
Tie Rod	Short Rod; Left Outer	MEOE-116	1
	Long Rod; Right Outer	MEOE-129	1
Front Suspension:			
Ball Joint	w/Mono Beam Axle; Upper	MCS-104273	2
	w/Mono Beam Axle; Lower	MCS-104149	2

1999 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	F800; w/OE #F8HT-DA	MDOE-23	1

FORD TRUCK
1999 — F — Cont.

Steering Illustration: N/A		Suspension Illustration: N/A	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Tie Rod	F800; w/6000-9000# Front Axle; w/OE #F4HT-3280BB; Assy. Includes Clamps & Ends	MEOE-41	1
	F800; w/10,000-12,000# Front Axle; w/176" - 261" WB; Assy. Includes Clamps & Ends	MEOE-38	1
	F800; w/14,600# Front Axle; Assy. Includes Clamps & Ends	MEOE-32	1

1999 — Ranger

Steering Illustration: 40		Suspension Illustration: 31	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	w/Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	w/Torsion Bar Suspension; Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
	w/Coil Spring Suspension; Upper	MCS-104261	2
Sway Bar Link		MCS-18155	2
Rear Suspension:			
Sway Bar Link	4WD	MCS-18155	2

1999 — Windstar

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-13	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3182	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Steering Knuckle	Right	MEOE-5	1
	Left	MEOE-9	1
Sway Bar Link		MCS-18136	2

1999 — F-550 Super Duty

Steering Illustration: 167		Suspension Illustration: 22	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Suspension:			
Ball Joint	w/Mono Beam Axle; Upper	MCS-104273	2
	w/Mono Beam Axle; Lower	MCS-104149	2

FORD TRUCK

1998 — E-150 Econoline, E-150 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
	Optional Type; Left Inner	MDS-1288	1
	Optional Type; Right Inner	MDS-1286	1
Adjusting Sleeve	OE Design	MEOE-54	2
	Optional Type	MES-2079S	2
Tie Rod	OE Design; Right Inner	MEOE-84	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-119	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Lower	MCS-104172	2
	Upper	MCS-104132	2

1998 — E-250 Econoline

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Right	MDOE-6	1
	Optional Type; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Right	MEOE-51	1
	OE Design; Left	MEOE-54	1
	Optional Type; Right	MES-2012S	1
	Optional Type; Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2

1998 — E-350 Econoline, E-350 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; w/Single Rear Wheels; Right	MDOE-6	1
	OE Design; w/Dual Rear Wheels; Right	MDOE-15	1
	Optional Type; w/Single Rear Wheels; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
	Optional Type; Front Left	MES-2079S	1

FORD TRUCK

1998 — E-350 Econoline, E-350 Econoline Club Wagon — Cont.

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Upper	MCS-104132	2
	Lower	MCS-104173	2
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1998 — Econoline Super Duty

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-6	1
Adjusting Sleeve	Right	MEOE-51	1
	Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

1998 — Expedition

Steering Illustration: 3			Suspension Illustration: 31
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Adjusting Sleeve	Front Left	MES-3368S	1
	Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; Right Upper	MCS-10754	1
	4WD Includes Bushings; Left Upper	MCS-10753	1

FORD TRUCK
1998 — Expedition — Cont.

Steering Illustration: 3		Suspension Illustration: 31	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Suspension: — Cont.			
Arm Asy. — Cont.	RWD Includes Bushings; Right Upper	MCS-10752	1
	RWD Includes Bushings; Left Upper	MCS-10751	1
Ball Joint	Lower	MCS-104222	2
Sway Bar Link		MCS-18228	2

1998 — Explorer

Steering Illustration: 62		Suspension Illustration: 176	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	Torsion Bar Suspension; Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
Sway Bar Link		MCS-18155	2

1998 — F-150

Steering Illustration: 3		Suspension Illustration: 31	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Adjusting Sleeve	OE Design; Left	MEOE-56	1
	OE Design; Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Left Inner	MES-3365R	1
	RWD Optional Type; Right Inner	MES-3364L	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; Right Upper	MCS-10754	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	RWD Includes Bushings; Left Upper	MCS-10751	1
Ball Joint	U/8500 GVW; Lower	MCS-104222	2

FORD TRUCK
1998 — F-150 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension: — Cont.			
Sway Bar Link		MCS-18228	2

1998 — F-250

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD U/8500 GVW	MDOE-22	1
	RWD O/8500 GVW	MDOE-11	1
Adjusting Sleeve	RWD OE Design; U/8500 GVW; Left	MEOE-56	1
	RWD OE Design; U/8500 GVW; Right	MEOE-57	1
	RWD Optional Type; U/8500 GVW; Front Left	MES-3368S	1
	RWD Optional Type; U/8500 GVW; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	RWD U/8500 GVW; OE Design; Left Outer	MEOE-63	1
	RWD U/8500 GVW; OE Design; Right Outer	MEOE-64	1
	RWD U/8500 GVW; OE Design; Left Inner	MEOE-113	1
	RWD U/8500 GVW; OE Design; Right Inner	MEOE-65	1
	RWD U/8500 GVW; Optional Type; Left Outer	MES-3366	1
	RWD U/8500 GVW; Optional Type; Right Outer	MES-3367	1
	RWD U/8500 GVW; Optional Type; Left Inner	MES-3365R	1
	RWD U/8500 GVW; Optional Type; Right Inner	MES-3364L	1
Front Suspension:			
Arm Asy.	RWD Includes Bushings; U/8500 GVW; Right Upper	MCS-10752	1
	RWD Includes Bushings; U/8500 GVW; Left Upper	MCS-10751	1
Ball Joint	RWD U/8500 GVW; Lower	MCS-104222	2
	RWD w/Twin I-Beam; Upper	MCS-104132	2
Sway Bar Link	RWD U/8500 GVW	MCS-18228	2

Steering Illustration: 8 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD	MDOE-24	1
Adjusting Sleeve	4WD U/8500 GVW; Front Left	MES-3368S	1
	4WD U/8500 GVW; Front Right	MES-3368S	1
Tie Rod	4WD U/8500 GVW; OE Design; Right Outer	MEOE-64	1
	4WD U/8500 GVW; OE Design; Left Outer	MEOE-63	1
	4WD U/8500 GVW; OE Design; Right Inner	MEOE-66	1
	4WD U/8500 GVW; OE Design; Left Inner	MEOE-114	1
	4WD U/8500 GVW; Optional Type; Right Outer	MES-3367	1
	4WD U/8500 GVW; Optional Type; Left Outer	MES-3366	1
	4WD U/8500 GVW; Optional Type; Left Inner	MES-3369	1
	4WD U/8500 GVW; Optional Type; Right Inner	MES-3370	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; U/8500 GVW; Right Upper	MCS-10754	1
	4WD Includes Bushings; U/8500 GVW; Left Upper	MCS-10753	1
Ball Joint	4WD U/8500 GVW; Lower	MCS-104222	2
Sway Bar Link	4WD U/8500 GVW	MCS-18228	2

FORD TRUCK
1998 — F

Steering Illustration: N/A		Suspension Illustration: N/A	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	F700, F800; w/OE #F4HT-CA; 19-15/32" Length	MDOE-16	1
	F700, F800; w/OE #F5HT-AE	MDOE-19	1
Tie Rod	F700, F800; w/6000-9000# Front Axle; w/OE #F4HT-3280BB; Assy. Includes Clamps & Ends	MEOE-41	1
	F700, F800; w/6000-7000# Front Axle; w/Axle ID F5HT-3010BA,CA; Right Outer	MEOE-99	1
	F700, F800; w/6000-7000# Front Axle; w/Axle ID F5HT-3010BA,CA; Left Outer	MEOE-135	1
	F700, F800; w/10,000-12,000# Front Axle; w/176" - 261" WB; Assy. Includes Clamps & Ends	MEOE-38	1
	F700, F800; w/14,600# Front Axle; Assy. Includes Clamps & Ends	MEOE-32	1
Spindle Bushing & Pin Kit	F700, F800; w/6000-7000# Front Axle	MEOE-4	1
	F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1998 — Ranger

Steering Illustration: 40		Suspension Illustration: 31	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	w/Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	w/Torsion Bar Suspension; Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
	w/Coil Spring Suspension; Upper	MCS-104261	2
Sway Bar Link		MCS-18155	2
Rear Suspension:			
Sway Bar Link	4WD	MCS-18155	2

1998 — Windstar

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-13	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3182	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	Includes Bushings; Right Lower	MCS-10774	1
	Includes Bushings; Left Lower	MCS-10773	1
Steering Knuckle	Right	MEOE-8	1
Sway Bar Link		MCS-18136	2

FORD TRUCK
1997 — Aerostar

Steering Illustration: 10 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Upper	MCS-104174	2
	RWD Lower	MCS-10327	2
	4WD Lower	MCS-104148	2

1997 — E-150 Econoline, E-150 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
	Optional Type; Left Inner	MDS-1288	1
	Optional Type; Right Inner	MDS-1286	1
Adjusting Sleeve	OE Design	MEOE-54	2
	Optional Type	MES-2079S	2
Tie Rod	OE Design; Right Inner	MEOE-84	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-119	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Lower	MCS-104172	2
	Upper	MCS-104132	2

1997 — E-250 Econoline

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Right	MDOE-6	1
	Optional Type; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Right	MEOE-51	1
	OE Design; Left	MEOE-54	1
	Optional Type; Right	MES-2012S	1
	Optional Type; Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2

FORD TRUCK

1997 — E-350 Econoline, E-350 Econoline Club Wagon

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; w/Single Rear Wheels; Right	MDOE-6	1
	OE Design; w/Dual Rear Wheels; Right	MDOE-15	1
	Optional Type; w/Single Rear Wheels; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
	Optional Type; Front Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1997 — Econoline Super Duty

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link		MDOE-6	1
Adjusting Sleeve	Right	MEOE-51	1
	Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

1997 — Expedition

Steering Illustration: 3			Suspension Illustration: 31
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Adjusting Sleeve	Front Left	MES-3368S	1
	Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Left Inner	MEOE-113	1
	RWD OE Design; Right Inner	MEOE-65	1
	4WD OE Design; Left Inner	MEOE-114	1
	4WD OE Design; Right Inner	MEOE-66	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1

FORD TRUCK
1997 — Expedition — Cont.

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont	RWD Optional Type; Left Inner	MES-3365R	1
	RWD Optional Type; Right Inner	MES-3364L	1
	4WD Optional Type; Left Inner	MES-3369	1
	4WD Optional Type; Right Inner	MES-3370	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; Right Upper	MCS-10754	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	RWD Includes Bushings; Left Upper	MCS-10751	1
Ball Joint	Lower	MCS-104222	2
Sway Bar Link		MCS-18228	2

1997 — Explorer

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-138	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3302	2
Front Suspension:			
Arm Asy.	Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	Torsion Bar Suspension; Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
Sway Bar Link		MCS-18155	2

1997 — F-150

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Left	MEOE-56	1
	OE Design; Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Left Inner	MES-3365R	1
	RWD Optional Type; Right Inner	MES-3364L	1
	4WD Optional Type; Right Inner	MES-3370	1

Motorcraft

FORD TRUCK
1997 — F-150 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; Right Upper	MCS-10754	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	RWD Includes Bushings; Left Upper	MCS-10751	1
Ball Joint	U/8500 GVW; Lower	MCS-104222	2
Sway Bar Link		MCS-18228	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1997 — F-250

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design; U/8500 GVW	MDOE-22	1
	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; O/8500 GVW	MDOE-11	1
	RWD Crew Cab Pickup OE Design; O/8500 GVW	MDOE-12	1
	RWD Optional Type; U/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; O/8500 GVW; Left	MDS-1017	1
	RWD Optional Type; O/4200 lb.Front Axle - Connecting Tie Rod; Right	MDS-1073	1
Adjusting Sleeve	RWD OE Design; Includes Clamps, Bolts & Nuts	MEOE-54	2
	RWD OE Design; Tube Only; Left	MEOE-56	1
	RWD OE Design; Tube Only; Right	MEOE-57	1
	RWD Optional Type; U/8500 GVW; Front Left	MES-3368S	1
	RWD Optional Type; U/8500 GVW; Front Right	MES-3368S	1
	RWD Optional Type; O/8500 GVW; Front Right	MES-2012S	1
	RWD Optional Type; O/8500 GVW; Front Left	MES-2080S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	RWD OE Design; U/8500 GVW; Left Outer	MEOE-63	1
	RWD OE Design; U/8500 GVW; Right Outer	MEOE-64	1
	RWD OE Design; U/8500 GVW; Left Inner	MEOE-113	1
	RWD OE Design; U/8500 GVW; Right Inner	MEOE-65	1
	RWD Optional Type; U/8500 GVW; Left Outer	MES-3366	1
	RWD Optional Type; U/8500 GVW; Right Outer	MES-3367	1
	RWD Optional Type; U/8500 GVW; Left Inner	MES-3365R	1
	RWD Optional Type; U/8500 GVW; Right Inner	MES-3364L	1
	RWD O/8500 GVW; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup O/8500 GVW; U/4200 lb. Front Axle; Right Outer	MES-2212R	1

FORD TRUCK
1997 — F-250 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	RWD Extended Cab Pickup O/8500 GVW; O/4200 lb. Front Axle; Right Outer	MES-2396	1
Front Suspension:			
Arm Asy.	RWD Includes Bushings; U/8500 GVW; Right Upper	MCS-10752	1
	RWD Includes Bushings; U/8500 GVW; Left Upper	MCS-10751	1
Ball Joint	RWD w/Twin I-Beam O/8500 GVW; Lower	MCS-104138	2
	RWD U/8500 GVW; Lower	MCS-104222	2
	RWD w/Twin I-Beam O/8500 GVW; Upper	MCS-104132	2
Sway Bar Link	RWD U/8500 GVW	MCS-18228	2

Steering Illustration: 8 — **Suspension Illustration: 31**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; U/8500 GVW	MDOE-24	1
	4WD OE Design; O/8500 GVW	MDOE-17	1
	4WD Optional Type; From Connecting Tie Rod At Pitman Arm; Right	MDS-1419	1
	4WD Optional Type; HD Twin I-Beam O/8500 GVW; Left	MDS-1420	1
Adjusting Sleeve	4WD HD Twin I-Beam O/8500 GVW w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	4WD HD Twin I-Beam O/8500 GVW; Front Left	MES-2079S	1
	4WD U/8500 GVW; Front Left	MES-3368S	1
	4WD U/8500 GVW; Front Right	MES-3368S	1
Tie Rod	4WD OE Design; U/8500 GVW; Right Outer	MEOE-64	1
	4WD OE Design; U/8500 GVW; Left Outer	MEOE-63	1
	4WD OE Design; U/8500 GVW; Right Inner	MEOE-66	1
	4WD OE Design; U/8500 GVW; Left Inner	MEOE-114	1
	4WD Optional Type; U/8500 GVW; Right Outer	MES-3367	1
	4WD Optional Type; U/8500 GVW; Left Outer	MES-3366	1
	4WD Optional Type; U/8500 GVW; Right Inner	MES-3370	1
	4WD Optional Type; U/8500 GVW; Left Inner	MES-3369	1
	4WD OE Design; O/8500 GVW; Left Inner	MEOE-101	1
	4WD OE Design; O/8500 GVW; Left Outer	MEOE-136	1
	4WD OE Design; O/8500 GVW; Right Outer	MEOE-137	1
	4WD Optional Type; O/8500 GVW; Left Outer	MES-3362	1
	4WD Optional Type; O/8500 GVW; Right Outer	MES-3363	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; U/8500 GVW; Right Upper	MCS-10754	1
	4WD Includes Bushings; U/8500 GVW; Left Upper	MCS-10753	1
Ball Joint	4WD O/8500 GVW; w/4600 lb. Axle; Lower	MCS-10383	2
	4WD w/Twin I-Beam; Upper	MCS-10339	2
	4WD U/8500 GVW; Lower	MCS-104222	2
Sway Bar Link	4WD U/8500 GVW	MCS-18228	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

Motorcraft

FORD TRUCK
1997 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Extended Cab Pickup, Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; Connecting Tie Rod; O/4200 lb. Axle; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Right	MEOE-46	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; w/o O/4200 lb. Front Axle; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; O/4200 lb. Axle; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; O/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; w/o O/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Optional Type; w/O/4200 lb. Axle; Right Outer	MES-2396	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connects to Adjusting Sleeves; Left Outer	MDOE-13	2
	4WD Optional Type; At Connecting Rod, 1.00" x 18 Threads; Right	MDS-1068	1
	4WD Optional Type; w/Single Rear Wheels, Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design	MEOE-51	2
	4WD Optional Type	MES-2012S	2
Tie Rod	4WD OE Design; Steering Arm to Steering Arm; w/SRW; Right Outer	MEOE-96	1
	4WD OE Design; Steering Arm to Steering Arm; w/DRW; Right Outer	MEOE-97	1
	4WD OE Design; At Pitman Arm; Outer	MEOE-133	1
	4WD Optional Type; Steering Arm to Steering Arm; Left Outer	MES-2615R	1
	4WD Optional Type; At Pitman Arm; Left Inner	MES-2615R	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-104149	2

FORD TRUCK
1997 — F-350 — Cont.

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1997 — F Super Duty

Steering Illustration: N/A			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	161" WB Right	MEOE-46	1
	161" WB Left	MEOE-53	1
	Threaded Adapter between Tie Rod & Full Tube	MEOE-55	1
Tie Rod	Includes both Outer Tie Rod Ends	MEOE-37	1
	Right Outer	MEOE-94	1
	U/4200# FGAWR; Right	MEOE-140	1
	O/4200# FGAWR; Right	MEOE-132	1
	Left Outer	MEOE-141	1
	Left Inner	MEOE-95	1
Spindle Bushing & Pin Kit	w/Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA, F2TA-3001-AA	MEOE-2	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1997 — F53

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1

1997 — F

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	F700, F800; w/OE #F4HT-CA; 19-15/32" Length	MDOE-16	1
	F700, F800; w/OE #F5HT-AE	MDOE-19	1
Tie Rod	F700, F800; w/6000-9000# Front Axle; w/OE #F4HT-3280BB; Assy. Includes Clamps & Ends	MEOE-41	1
	F700, F800; w/6000-7000# Front Axle; w/Axle ID F5HT-3010BA,CA; Right Outer	MEOE-99	1
	F700, F800; w/6000-7000# Front Axle; w/Axle ID F5HT-3010BA,CA; Left Outer	MEOE-135	1
	F700, F800; w/10,000-12,000# Front Axle; w/176" - 261" WB; Assy. Includes Clamps & Ends	MEOE-38	1
	F700, F800; w/14,600# Front Axle; Assy. Includes Clamps & Ends	MEOE-32	1
Spindle Bushing & Pin Kit	F700, F800; w/6000-7000# Front Axle	MEOE-4	1

FORD TRUCK
1997 — F — Cont.

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Spindle Bushing & Pin Kit — Cont.	F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1997 — LN

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	LN7000, LN8000; w/16, 18 & 20,0000# Front Axles; Front Outer	MEOE-102	1
	LN7000, LN8000; w/16, 18 & 20,0000# Front Axles; Left Outer	MEOE-139	1

1997 — Ranger

Steering Illustration: 3			Suspension Illustration: 22
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD	MDOE-14	1
	4WD Left	MDS-1177	1
	Connecting Tie Rod - 22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Stud; Lower	MCS-10380	2
	4WD w/DANA 28 Axle w/Threaded Stud; Upper	MCS-10379	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Lower	MCS-10376	2
	RWD Upper	MCS-104132	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1997 — Windstar

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-13	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3182	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	Includes Bushings; Right Lower	MCS-10774	1
	Includes Bushings; Left Lower	MCS-10773	1
Steering Knuckle	Right	MEOE-8	1
Sway Bar Link		MCS-18136	2

1996 — Aerostar

Steering Illustration: 10			Suspension Illustration: 184
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Upper	MCS-104174	2
	RWD Lower	MCS-10327	2
	4WD Lower	MCS-104148	2

1996 — Bronco

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Connecting Tie Rod - 33.65" Long	MDOE-11	1
	Optional Type; Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Left	MEOE-53	1
	OE Design; Right	MEOE-54	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Upper	MCS-10339	2
	Lower	MCS-10253	2

FORD TRUCK
1996 — Bronco — Cont.

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1996 — E-150 Econoline, E-150 Econoline Club Wagon

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
	Optional Type; Left Inner	MDS-1288	1
	Optional Type; Right Inner	MDS-1286	1
Adjusting Sleeve	OE Design	MEOE-54	2
	Optional Type	MES-2079S	2
Tie Rod	OE Design; Right Inner	MEOE-84	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-119	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Lower	MCS-104172	2
	Upper	MCS-104132	2

1996 — E-250 Econoline

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; Right	MDOE-6	1
	Optional Type; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Right	MEOE-51	1
	OE Design; Left	MEOE-54	1
	Optional Type; Right	MES-2012S	1
	Optional Type; Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2

FORD TRUCK

1996 — E-350 Econoline, E-350 Econoline Club Wagon

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; w/Single Rear Wheels; Right	MDOE-6	1
	OE Design; w/Dual Rear Wheels; Right	MDOE-15	1
	Optional Type; w/Single Rear Wheels; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
	Optional Type; Front Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1996 — Econoline Super Duty

Steering Illustration: 4			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link		MDOE-6	1
Adjusting Sleeve	Right	MEOE-51	1
	Left	MEOE-54	1
Tie Rod	Left Inner	MEOE-83	1
	Left Outer	MEOE-118	1
	Right Outer	MEOE-126	1

1996 — Explorer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-138	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3302	2
Front Suspension:			
Arm Asy.	Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	Torsion Bar Suspension; Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
Sway Bar Link		MCS-18155	2

FORD TRUCK
1996 — F-150

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104133	2
	RWD Upper	MCS-104132	2
	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1996 — F-250

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	RWD OE Design; U/8500 GVW	MDOE-11	1
	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; O/8500 GVW	MDOE-11	1
	RWD Crew Cab Pickup OE Design; O/8500 GVW	MDOE-12	1
	RWD Optional Type; U/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
	RWD Optional Type; O/4200 lb. Front Axle - Connecting Tie Rod; Right	MDS-1073	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1
	RWD OE Design; Left	MEOE-53	1
	RWD Extended Cab Pickup Optional Type; O/4200 lb. Axle - 1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle; Front Right	MES-2079S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Right Outer	MEOE-140	1
	RWD Optional Type; Left Outer	MES-2213L	1

FORD TRUCK
1996 — F-250 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle; Right Outer	MES-2212R	1
	RWD Extended Cab Pickup Optional Type; O/4200 lb. Front Axle; Right Outer	MES-2396	1
Front Suspension:			
Ball Joint	RWD w/Twin I-Beam; Lower	MCS-104138	2
	RWD w/Twin I-Beam; Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design	MDOE-17	1
	4WD Optional Type; From Connecting Tie Rod At Pitman Arm; Right	MDS-1419	1
	4WD Optional Type; Left	MDS-1420	1
Adjusting Sleeve	4WD OE Design; Right	MEOE-51	1
	4WD OE Design; Left	MEOE-54	1
	4WD Optional Type; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	4WD Optional Type; Front Left	MES-2079S	1
Tie Rod	4WD OE Design; O/8500 GVW; Left Inner	MEOE-101	1
	4WD OE Design; O/8500 GVW; Left Outer	MEOE-136	1
	4WD OE Design; O/8500 GVW; Right Outer	MEOE-137	1
	4WD Optional Type; Left Outer	MES-3362	1
	4WD Optional Type; Right Outer	MES-3363	1
Front Suspension:			
Ball Joint	4WD w/4600 lb. Axle; Lower	MCS-10383	2
	4WD Upper	MCS-10339	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1996 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Extended Cab Pickup, Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle,Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; O/4200 lb. Axle - Connecting Tie Rod; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1

FORD TRUCK
1996 — F-350 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Adjusting Sleeve	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Right	MEOE-46	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; Exc. O/4200 lb. Front Axle; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; O/4200 lb. Axle w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; O/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; Exc. O/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Optional Type; O/4200 lb. Axle; Right Outer	MES-2396	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connects to Adjusting Sleeves; Left Outer	MDOE-13	2
	4WD Optional Type; At Connecting Rod, 1.00" x 18 Threads; Right	MDS-1068	1
	4WD Optional Type; w/Single Rear Wheels, Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design	MEOE-51	2
	4WD Optional Type	MES-2012S	2
Tie Rod	4WD OE Design; Steering Arm to Steering Arm; w/SRW; Right Outer	MEOE-96	1
	4WD OE Design; Steering Arm to Steering Arm; w/DRW; Right Outer	MEOE-97	1
	4WD OE Design; At Pitman Arm; Outer	MEOE-133	1
	4WD Optional Type; Steering Arm to Steering Arm; Left Outer	MES-2615R	1
	4WD Optional Type; At Pitman Arm; Left Inner	MES-2615R	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-104149	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1996 — F Super Duty

Steering Illustration: N/A — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	161" WB Right	MEOE-46	1
	161" WB Left	MEOE-53	1
	Threaded Adapter between Tie Rod & Full Tube	MEOE-55	1
Tie Rod	Includes both Outer Tie Rod Ends	MEOE-37	1
	Right Outer	MEOE-94	1
	U/4200# FGAWR; Right	MEOE-140	1
	O/4200# FGAWR; Right	MEOE-132	1
	Left Outer	MEOE-141	1
	Left Inner	MEOE-95	1
Spindle Bushing & Pin Kit	w/Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA, F2TA-3001-AA	MEOE-2	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1996 — F53

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1996 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	F700, F800; w/OE #F4HT-CA; 19-15/32" Length	MDOE-16	1
	F700, F800; w/OE #F5HT-AE	MDOE-19	1
Tie Rod	F700, F800; w/6000-9000# Front Axle; w/OE #F4HT-3280BB; Assy. Includes Clamps & Ends	MEOE-41	1
	F700, F800; w/6000-7000# Front Axle; w/Axle ID F5HT-3010BA,CA; Right Outer	MEOE-99	1
	F700, F800; w/6000-7000# Front Axle; w/Axle ID F5HT-3010BA,CA; Left Outer	MEOE-135	1
	F700, F800; w/10,000-12,000# Front Axle; w/176" - 261" WB; Assy. Includes Clamps & Ends	MEOE-38	1
	F700, F800; w/14,600# Front Axle; Assy. Includes Clamps & Ends	MEOE-32	1
Spindle Bushing & Pin Kit	F700, F800; w/6000-7000# Front Axle	MEOE-4	1
	F700, F800; w/8000-9000# Front Axle	MEOE-3	1

Motorcraft

FORD TRUCK
1996 — Ranger

Steering Illustration: 3		Suspension Illustration: 22	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	RWD	MDOE-14	1
	4WD Left	MDS-1177	1
	Connecting Tie Rod - 22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Stud; Lower	MCS-10380	2
	4WD w/DANA 28 Axle w/Threaded Stud; Upper	MCS-10379	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Lower	MCS-10376	2
	RWD Upper	MCS-104132	2

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1996 — Windstar

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-13	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3182	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	Includes Bushings; Right Lower	MCS-10774	1
	Includes Bushings; Left Lower	MCS-10773	1
Steering Knuckle	Right	MEOE-8	1
Sway Bar Link		MCS-18136	2

1995 — Aerostar

Steering Illustration: 10		Suspension Illustration: 184	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2

FORD TRUCK
1995 — Aerostar — Cont.

Steering Illustration: 10		Suspension Illustration: 184	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Tie Rod — Cont.	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Upper	MCS-104174	2
	RWD Lower	MCS-10327	2
	4WD Lower	MCS-104148	2

1995 — Bronco

Steering Illustration: 3		Suspension Illustration: 20	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; Connecting Tie Rod - 33.65" Long	MDOE-11	1
	Optional Type; Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Left	MEOE-53	1
	OE Design; Right	MEOE-54	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Upper	MCS-10339	2
	Lower	MCS-10253	2

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1995 — E-150 Econoline, E-150 Econoline Club Wagon

Steering Illustration: 4		Suspension Illustration: 20	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
	Optional Type; Left Inner	MDS-1288	1
	Optional Type; Right Inner	MDS-1286	1
Adjusting Sleeve	OE Design	MEOE-54	2
	Optional Type	MES-2079S	2
Tie Rod	OE Design; Right Inner	MEOE-84	1
	OE Design; Left Outer	MEOE-118	1

FORD TRUCK

1995 — E-150 Econoline, E-150 Econoline Club Wagon — Cont.

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	OE Design; Right Outer	MEOE-119	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Lower	MCS-104172	2
	Upper	MCS-104132	2

1995 — E-250 Econoline

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Right	MDOE-6	1
	Optional Type; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Right	MEOE-51	1
	OE Design; Left	MEOE-54	1
	Optional Type; Right	MES-2012S	1
	Optional Type; Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2

1995 — E-350 Econoline, E-350 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; w/Single Rear Wheels; Right	MDOE-6	1
	OE Design; w/Dual Rear Wheels; Right	MDOE-15	1
	Optional Type; w/Singlel Rear Wheels; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
	Optional Type; Front Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2

FORD TRUCK

1995 — E-350 Econoline, E-350 Econoline Club Wagon — Cont.

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension: — Cont.			
Ball Joint — Cont.	Upper	MCS-104132	2
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1995 — Explorer

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-138	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3302	2
Front Suspension:			
Arm Asy.	Torsion Bar Suspension; Left Upper	MCS-10720	1
Ball Joint	Torsion Bar Suspension; Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
Sway Bar Link		MCS-18155	2

1995 — F-150

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104133	2
	RWD Upper	MCS-104132	2
	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Motorcraft

FORD TRUCK
1995 — F-150 — Cont.

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1995 — F-250

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design; U/8500 GVW	MDOE-11	1
	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; O/8500 GVW	MDOE-11	1
	RWD Crew Cab Pickup OE Design; O/8500 GVW	MDOE-12	1
	RWD Optional Type; U/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
	RWD Optional Type; O/4200 lb. Front Axle - Connecting Tie Rod; Right	MDS-1073	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1
	RWD OE Design; Left	MEOE-53	1
	RWD Extended Cab Pickup Optional Type; O/4200 lb. Axle - 1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle; Front Right	MES-2079S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Right Outer	MEOE-140	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle; Right Outer	MES-2212R	1
	RWD Extended Cab Pickup Optional Type; w/4200 lb. or More Front Axle; Right Outer	MES-2396	1
Front Suspension:			
Ball Joint	RWD w/Twin I-Beam; Lower	MCS-104138	2
	RWD w/Twin I-Beam; Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design	MDOE-17	1
	4WD Optional Type; From Connecting Tie Rod At Pitman Arm; Right	MDS-1419	1
	4WD Optional Type; Left	MDS-1420	1
Adjusting Sleeve	4WD OE Design; Right	MEOE-51	1
	4WD OE Design; Left	MEOE-54	1
	4WD Optional Type; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	4WD Optional Type; Front Left	MES-2079S	1
Tie Rod	4WD OE Design; O/8500 GVW; Left Inner	MEOE-101	1
	4WD OE Design; O/8500 GVW; Left Outer	MEOE-136	1
	4WD OE Design; O/8500 GVW; Right Outer	MEOE-137	1

FORD TRUCK
1995 — F-250 — Cont.

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	4WD Optional Type; Left Outer	MES-3362	1
	4WD Optional Type; Right Outer	MES-3363	1
Front Suspension:			
Ball Joint	4WD w/4600 lb. Axle; Lower	MCS-10383	2
	4WD Upper	MCS-10339	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1995 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Extended Cab Pickup, Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; w/4200 lb. Or More Axle - Connecting Tie Rod; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Crew Cab Pickup, Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Crew Cab Pickup, Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Right	MEOE-46	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; Exc. 4200 lb. or More Front Axle; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; w/4200 lb. Or More Axle w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; O/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; Exc. O/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup w/4200 lb. Or More Axle; Right Outer	MES-2396	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD Upper	MCS-104132	2

Motorcraft

FORD TRUCK
1995 — F-350 — Cont.

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connects to Adjusting Sleeves; Left Outer	MDOE-13	2
	4WD Optional Type; At Connecting Rod, 1.00" x 18 Threads; Right	MDS-1068	1
	4WD Optional Type; w/Single Rear Wheels, Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design	MEOE-51	2
	4WD Optional Type	MES-2012S	2
Tie Rod	4WD OE Design; Steering Arm to Steering Arm; w/SRW; Right Outer	MEOE-96	1
	4WD OE Design; Steering Arm to Steering Arm; w/DRW; Right Outer	MEOE-97	1
	4WD OE Design; At Pitman Arm; Outer	MEOE-133	1
	4WD Optional Type; Steering Arm to Steering Arm; Left Outer	MES-2615R	1
	4WD Optional Type; At Pitman Arm; Left Inner	MES-2615R	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-104149	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1995 — F Super Duty

Steering Illustration: N/A — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	161" WB Right	MEOE-46	1
	161" WB Left	MEOE-53	1
	Threaded Adapter between Tie Rod & Full Tube	MEOE-55	1
Tie Rod	Includes both Outer Tie Rod Ends	MEOE-37	1
	Right Outer	MEOE-94	1
	U/4200# FGAWR; Right	MEOE-140	1
	O/4200# FGAWR; Right	MEOE-132	1
	Left Outer	MEOE-141	1
	Left Inner	MEOE-95	1
Spindle Bushing & Pin Kit	w/Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA, F2TA-3001-AA	MEOE-2	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1995 — F53

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1995 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	F700, F800; w/OE #F4HT-CA; 19-15/32" Length	MDOE-16	1
	F700, F800; w/OE #F5HT-DB	MDOE-20	1
Tie Rod	F700, F800; w/6000-9000# Front Axle; w/OE #F4HT-3280BB; Assy. Includes Clamps & Ends	MEOE-41	1
	F700, F800; w/6000-7000# Front Axle; w/Axle ID F5HT-3010BA,CA; Right Outer	MEOE-99	1
	F700, F800; w/6000-7000# Front Axle; w/Axle ID F5HT-3010BA,CA; Left Outer	MEOE-135	1
	F700, F800; w/10,000-12,000# Front Axle; w/176" - 261" WB; Assy. Includes Clamps & Ends	MEOE-38	1
	F700, F800; w/14,600# Front Axle; Assy. Includes Clamps & Ends	MEOE-32	1
Spindle Bushing & Pin Kit	F700, F800; w/6000-7000# Front Axle	MEOE-4	1
	F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1995 — Ranger

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD	MDOE-14	1
	4WD Left	MDS-1177	1
	Connecting Tie Rod - 22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Stud; Lower	MCS-10380	2
	4WD w/DANA 28 Axle w/Threaded Stud; Upper	MCS-10379	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Lower	MCS-10376	2
	RWD Upper	MCS-104132	2

Motorcraft

FORD TRUCK
1995 — Ranger — Cont.

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1995 — Windstar

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-13	2
	OE Design; Outer	MEOE-70	2
	Optional Type; Inner	MES-3182	2
	Optional Type; Outer	MES-3181	2
Front Suspension:			
Arm Asy.	Includes Bushings; Right Lower	MCS-10774	1
	Includes Bushings; Left Lower	MCS-10773	1
Steering Knuckle	Right	MEOE-8	1
Sway Bar Link		MCS-18136	2

1994 — Aerostar

Steering Illustration: 10			Suspension Illustration: 184
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Upper	MCS-104174	2
	RWD Lower	MCS-10327	2
	4WD Lower	MCS-104148	2

1994 — Bronco

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; Connecting Tie Rod - 33.65" Long	MDOE-11	1
	Optional Type; Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Left	MEOE-53	1
	OE Design; Right	MEOE-54	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1

FORD TRUCK
1994 — Bronco — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Upper	MCS-10339	2
	Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1994 — E-150 Econoline, E-150 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
	Optional Type; Left Inner	MDS-1288	1
	Optional Type; Right Inner	MDS-1286	1
Adjusting Sleeve	OE Design	MEOE-54	2
	Optional Type	MES-2079S	2
Tie Rod	OE Design; Right Inner	MEOE-84	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-119	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Lower	MCS-104172	2
	Upper	MCS-104132	2

1994 — E-250 Econoline

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Right	MDOE-6	1
	Optional Type; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Right	MEOE-51	1
	OE Design; Left	MEOE-54	1
	Optional Type; Right	MES-2012S	1
	Optional Type; Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1

FORD TRUCK
1994 — E-250 Econoline — Cont.

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2

1994 — E-350 Econoline, E-350 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; w/Single Rear Wheels; Right	MDOE-6	1
	OE Design; w/Dual Rear Wheels; Right	MDOE-15	1
	Optional Type; w/Single Rear Wheels; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
	Optional Type; Front Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1994 — Explorer

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Left	MDS-1177	1
	4WD Connecting Tie Rod w/22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	RWD 1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Front Left	MES-2079S	1
	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	4WD Right Outer	MES-2212R	1
	4WD Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Ball Joint Stud; Lower	MCS-10380	2
	4WD w/DANA 28 Axle - Threaded Ball Joint Stud; Upper	MCS-10379	2

FORD TRUCK
1994 — Explorer — Cont.

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension: — Cont.			
Ball Joint — Cont.	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Upper	MCS-104132	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1994 — F-150

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104133	2
	RWD Upper	MCS-104132	2
	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1994 — F-250

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1

Motorcraft

FORD TRUCK
1994 — F-250 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Drag Link — Cont.	RWD Optional Type; w/4200 lb. Or More Front Axle - Connecting Tie Rod; Right	MDS-1073	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1
	RWD OE Design; Left	MEOE-53	1
	RWD Extended Cab Pickup w/4200 lb. Or More Axle - 1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Standard Cab Pickup U/4200 lb. Front Axle; Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Right Outer	MEOE-140	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle; Right Outer	MES-2212R	1
	RWD Extended Cab Pickup Optional Type; w/4200 lb. or More Front Axle; Right Outer	MES-2396	1
Front Suspension:			
Ball Joint	RWD w/Twin I-Beam; Lower	MCS-104138	2
	RWD w/Twin I-Beam; Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design	MDOE-17	1
	4WD Optional Type; U/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	4WD Optional Type; w/Eng. # 2U2J-3270-BA; Left	MDS-1017	1
	4WD Optional Type; From Connecting Tie Rod At Pitman Arm; Right	MDS-1069	1
	4WD Optional Type; w/Eng. # 3U2J-3B060-FA; Left	MDS-1072	1
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Tie Rod	4WD OE Design; O/8500 GVW; Left Inner	MEOE-101	1
	4WD OE Design; O/8500 GVW; Left Outer	MEOE-136	1
	4WD OE Design; O/8500 GVW; Right Outer	MEOE-137	1
	4WD Optional Type; Right Outer	MES-2727R	1
	4WD Optional Type; Left Outer	MES-2728L	1
Front Suspension:			
Ball Joint	4WD w/4600 lb. Axle; Lower	MCS-10383	2
	4WD Upper	MCS-10339	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1994 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Extended Cab Pickup, Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; w/4200 lb. Or More Axle - Connecting Tie Rod; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Right	MEOE-46	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; w/4200 lb. Or More Axle w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; O/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; U/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Optional Type; w/4200 lb. Or More Axle; Right Outer	MES-2396	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connects to Adjusting Sleeves; Left Outer	MDOE-13	2
	4WD Optional Type; At Connecting Rod, 1.00" x 18 Threads; Right	MDS-1068	1
	4WD Optional Type; w/Single Rear Wheels, Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design	MEOE-51	2
	4WD Optional Type	MES-2012S	2
Tie Rod	4WD OE Design; Steering Arm to Steering Arm; w/SRW; Right Outer	MEOE-96	1
	4WD OE Design; Steering Arm to Steering Arm; w/DRW; Right Outer	MEOE-97	1
	4WD OE Design; At Pitman Arm; Outer	MEOE-133	1
	4WD Optional Type; Steering Arm to Steering Arm; Left Outer	MES-2615R	1
	4WD Optional Type; At Pitman Arm; Left Inner	MES-2615R	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-104149	2

FORD TRUCK
1994 — F-350 — Cont.

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1994 — F Super Duty

Steering Illustration: N/A			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Adjusting Sleeve	161" WB Right	MEOE-46	1
	161" WB Left	MEOE-53	1
	Threaded Adapter between Tie Rod & Full Tube	MEOE-55	1
Tie Rod	Includes both Outer Tie Rod Ends	MEOE-37	1
	Right Outer	MEOE-94	1
	U/4200# FGAWR; Right	MEOE-140	1
	O/4200# FGAWR; Right	MEOE-132	1
	Left Outer	MEOE-141	1
	Left Inner	MEOE-95	1
Spindle Bushing & Pin Kit	w/Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA, F2TA-3001-AA	MEOE-2	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1994 — F53

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1994 — F59

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1994 — F

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	F600, F700, F800; w/OE #F4HT-CA; 19-15/32" Length	MDOE-16	1
Tie Rod	F600, F700, F800; w/6000-9000# Front Axle; w/OE #F4HT-3280BB; Assy. Includes Clamps & Ends	MEOE-41	1
	F700, F800; w/6000-7000# Front Axle; w/Axle ID F5HT-3010BA,CA; Right Outer	MEOE-99	1
	F700, F800; w/6000-7000# Front Axle; w/Axle ID F5HT-3010BA,CA; Left Outer	MEOE-135	1
	F600, F700, F800; w/10,000-12,000# Front Axle; w/176" - 261" WB; Assy. Includes Clamps & Ends	MEOE-38	1
	F600, F700, F800; w/14,600# Front Axle; Assy. Includes Clamps & Ends	MEOE-32	1
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-4	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1994 — Ranger

Steering Illustration: 3			Suspension Illustration: 22
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD	MDOE-14	1
	4WD Left	MDS-1177	1
	Connecting Tie Rod - 22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Stud; Lower	MCS-10380	2
	4WD w/DANA 28 Axle w/Threaded Stud; Upper	MCS-10379	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Lower	MCS-10376	2
	RWD Upper	MCS-104132	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1994 — School Bus Chassis

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/OE #F4HT-CA; 19-15/32" Length	MDOE-16	1
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-4	1
	w/8000-9000# Front Axle	MEOE-3	1

1993 — Aerostar

Steering Illustration: 10			Suspension Illustration: 184
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Upper	MCS-104174	2
	RWD Lower	MCS-10327	2
	4WD Lower	MCS-104148	2

1993 — Bronco

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Connecting Tie Rod - 33.65" Long	MDOE-11	1
	Optional Type; Left	MDS-1017	1
	Optional Type; Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
Adjusting Sleeve	OE Design; Left	MEOE-53	1
	OE Design; Right	MEOE-54	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Upper	MCS-10339	2
	Lower	MCS-10253	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1993 — E-150 Econoline, E-150 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
	Optional Type; Left Inner	MDS-1288	1
	Optional Type; Right Inner	MDS-1286	1
Adjusting Sleeve	OE Design	MEOE-54	2
	Optional Type	MES-2079S	2
Tie Rod	OE Design; Right Inner	MEOE-84	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-119	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Lower	MCS-104172	2
	Upper	MCS-104132	2

1993 — E-250 Econoline

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Right	MDOE-6	1
	Optional Type; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Right	MEOE-51	1
	OE Design; Left	MEOE-54	1
	Optional Type; Right	MES-2012S	1
	Optional Type; Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2

1993 — E-350 Econoline, E-350 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; w/Single Rear Wheels; Right	MDOE-6	1
	OE Design; w/Dual Rear Wheels; Right	MDOE-15	1
	Optional Type; w/Single Rear Wheels; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
	Optional Type; Front Left	MES-2079S	1

FORD TRUCK
1993 — E-350 Econoline, E-350 Econoline Club Wagon — Cont.

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1993 — Explorer

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Left	MDS-1177	1
	4WD Connecting Tie Rod w/22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	RWD 1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Front Left	MES-2079S	1
	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	4WD Right Outer	MES-2212R	1
	4WD Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Ball Joint Stud; Lower	MCS-10380	2
	4WD w/DANA 28 Axle - Threaded Ball Joint Stud; Upper	MCS-10379	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Upper	MCS-104132	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1993 — F-150

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1

FORD TRUCK
1993 — F-150 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Drag Link — Cont.	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104133	2
	RWD Upper	MCS-104132	2
	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1993 — F-250

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; U/4200 lb. Front Axle - Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
	RWD Optional Type; w/4200 lb. Or More Front Axle - Connecting Tie Rod; Right	MDS-1073	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1
	RWD OE Design; Left	MEOE-53	1
	RWD Extended Cab Pickup Optional Type; w/4200 lb. Or More Axle - 1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle; Front Right	MES-2079S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Right Outer	MEOE-140	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle; Right Outer	MES-2212R	1
	RWD Extended Cab Pickup Optional Type; w/4200 lb. or More Front Axle; Right Outer	MES-2396	1
Front Suspension:			
Ball Joint	RWD w/Twin I-Beam; Lower	MCS-104138	2

Motorcraft

FORD TRUCK
1993 — F-250 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension: — Cont.			
Ball Joint — Cont.	RWD w/Twin I-Beam; Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Optional Type; From Connecting Tie Rod At Pitman Arm; Right	MDS-1069	1
	4WD Optional Type; Left	MDS-1072	1
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Tie Rod	4WD Right Outer	MES-2727R	1
	4WD Left Outer	MES-2728L	1
Front Suspension:			
Ball Joint	4WD w/4600 lb. Axle; Lower	MCS-10383	2
	4WD Upper	MCS-10339	2
	4WD 3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1993 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Extended Cab Pickup, Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; w/4200 lb. Or More Axle - Connecting Tie Rod; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Right	MEOE-46	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; Exc. 4200 lb. or More Front Axle; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; w/4200 lb. Or More Axle w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1

FORD TRUCK
1993 — F-350 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; O/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; Exc. O/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Optional Type; w/4200 lb. Or More Axle; Right Outer	MES-2396	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connects to Adjusting Sleeves; Left Outer	MDOE-13	2
	4WD Optional Type; At Connecting Rod, 1.00" x 18 Threads; Right	MDS-1068	1
	4WD Optional Type; w/Single Rear Wheels, Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design	MEOE-51	2
	4WD Optional Type	MES-2012S	2
Tie Rod	4WD OE Design; Steering Arm to Steering Arm; w/SRW; Right Outer	MEOE-96	1
	4WD OE Design; Steering Arm to Steering Arm; w/DRW; Right Outer	MEOE-97	1
	4WD OE Design; At Pitman Arm; Outer	MEOE-133	1
	4WD Optional Type; Steering Arm to Steering Arm; Left Outer	MES-2615R	1
	4WD Optional Type; At Pitman Arm; Left Inner	MES-2615R	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-104149	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1993 — F Super Duty

Steering Illustration: N/A — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	161" WB Right	MEOE-46	1
	161" WB Left	MEOE-53	1
	Threaded Adapter between Tie Rod & Full Tube	MEOE-55	1

FORD TRUCK
1993 — F Super Duty — Cont.

Steering Illustration: N/A — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod	Includes both Outer Tie Rod Ends	MEOE-37	1
	Right Outer	MEOE-94	1
	U/4200# FGAWR; Right	MEOE-140	1
	O/4200# FGAWR; Right	MEOE-132	1
	Left Outer	MEOE-141	1
	Left Inner	MEOE-95	1
Spindle Bushing & Pin Kit	w/Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA, F2TA-3001-AA	MEOE-2	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1993 — F53

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1993 — F59

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1993 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	F600, F700, F800; w/OE #F4HT-CA; 19-15/32" Length	MDOE-16	1
Tie Rod	F600, F700, F800; w/6000-7000# Front Axle; Axle ID F5HT-3010BA,CA; Right Outer	MEOE-99	1
	F600, F700, F800; w/6000-7000# Front Axle; Axle ID F5HT-3010BA,CA; Left Outer	MEOE-135	1
	F600, F700, F800; w/12,000 & 15,000# Front Steel Axles; Right Outer	MEOE-93	1
	F600, F700, F800; w/12,000 & 15,000# Front Steel Axles; Left Outer	MEOE-131	1
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-4	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

FORD TRUCK
1993 — Ranger

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD	MDOE-14	1
	4WD Left	MDS-1177	1
	Connecting Tie Rod - 22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Stud; Lower	MCS-10380	2
	4WD w/DANA 28 Axle w/Threaded Stud; Upper	MCS-10379	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Lower	MCS-10376	2
	RWD Upper	MCS-104132	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1993 — School Bus Chassis

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/OE #F4HT-CA; 19-15/32" Length	MDOE-16	1
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-4	1
	w/8000-9000# Front Axle	MEOE-3	1

1992 — Aerostar

Steering Illustration: 10 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Upper	MCS-104174	2
	RWD Lower	MCS-10327	2
	4WD Lower	MCS-104148	2

Motorcraft

FORD TRUCK
1992 — Bronco

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Connecting Tie Rod - 33.65" Long	MDOE-11	1
	Optional Type; Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Left	MEOE-53	1
	OE Design; Right	MEOE-54	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Upper	MCS-10339	2
	Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1992 — E-150 Econoline, E-150 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Left Inner	MDOE-2	1
	OE Design; Right Inner	MDOE-2	1
	Optional Type; Left Inner	MDS-1288	1
	Optional Type; Right Inner	MDS-1286	1
Adjusting Sleeve	OE Design	MEOE-54	2
	Optional Type	MES-2079S	2
Tie Rod	OE Design; Right Inner	MEOE-84	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-119	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Lower	MCS-104172	2
	Upper	MCS-104132	2

FORD TRUCK

1992 — E-250 Econoline

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Right	MDOE-6	1
	Optional Type; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Right	MEOE-51	1
	OE Design; Left	MEOE-54	1
	Optional Type; Right	MES-2012S	1
	Optional Type; Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2

1992 — E-350 Econoline, E-350 Econoline Club Wagon

Steering Illustration: 4 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; w/Single Rear Wheels; Right	MDOE-6	1
	OE Design; w/Dual Rear Wheels; Right	MDOE-15	1
	Optional Type; w/Single Rear Wheels; Right	MDS-1287	1
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
	Optional Type; Front Left	MES-2079S	1
Tie Rod	OE Design; Left Inner	MEOE-83	1
	OE Design; Left Outer	MEOE-118	1
	OE Design; Right Outer	MEOE-126	1
	Optional Type; Left Inner	MDS-1289	1
	Optional Type; Left Outer	MES-3203L	1
	Optional Type; Right Outer	MES-3202	1
Front Suspension:			
Ball Joint	Lower	MCS-104173	2
	Upper	MCS-104132	2
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1992 — Explorer

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Left	MDS-1177	1
	4WD Connecting Tie Rod w/22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	RWD 1" Thread & 5.50" Length; Front Right	MES-2012S	1

FORD TRUCK
1992 — Explorer — Cont.

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Adjusting Sleeve — Cont.	RWD Front Left	MES-2079S	1
	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	4WD Right Outer	MES-2212R	1
	4WD Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD DANA 28 Axle - Threaded Ball Joint Stud; Lower	MCS-10380	2
	4WD w/DANA 28 Axle - Threaded Ball Joint Stud; Upper	MCS-10379	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Upper	MCS-104132	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1992 — F-150

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA, F2TA-3001-AA	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104133	2
	RWD Upper	MCS-104132	2
	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1992 — F-250

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1
	RWD OE Design; Left	MEOE-53	1
	RWD Extended Cab Pickup Optional Type; 0/8500 GVW w/4200 lb. Or More Axle - 1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Standard Cab Pickup Optional Type; Front Right	MES-2079S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Right Outer	MEOE-140	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Optional Type; Right Outer	MES-2212R	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA, F2TA-3001-AA	MEOE-2	1
Front Suspension:			
Ball Joint	RWD w/Twin I-Beam; Lower	MCS-104138	2
	RWD w/Twin I-Beam; Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design	MDOE-11	1
	4WD Optional Type; From Connecting Tie Rod At Pitman Arm; Right	MDS-1069	1
	4WD Optional Type; Left	MDS-1072	1
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Tie Rod	4WD Right Outer	MES-2727R	1
	4WD Left Outer	MES-2728L	1
Front Suspension:			
Ball Joint	4WD w/4600 lb. Axle; Lower	MCS-10383	2
	4WD Upper	MCS-10339	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

Motorcraft

FORD TRUCK
1992 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Extended Cab Pickup, Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; Connecting Tie Rod; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Right	MEOE-46	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; Exc. 4200 lb. or More Front Axle; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; O/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; Exc. O/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Optional Type; Right Outer	MES-2396	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA, F2TA-3001-AA	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connects to Adjusting Sleeves; Left Outer	MDOE-13	2
	4WD Optional Type; At Connecting Rod, 1.00" x 18 Threads; Right	MDS-1068	1
	4WD Optional Type; w/Single Rear Wheels, Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design	MEOE-51	2
	4WD Optional Type	MES-2012S	2
Tie Rod	4WD OE Design; Steering Arm to Steering Arm; w/SRW; Right Outer	MEOE-96	1
	4WD OE Design; Steering Arm to Steering Arm; w/DRW; Right Outer	MEOE-97	1
	4WD OE Design; At Pitman Arm; Outer	MEOE-133	1
	4WD Optional Type; Steering Arm to Steering Arm; Left Outer	MES-2615R	1
	4WD Optional Type; At Pitman Arm; Left Inner	MES-2615R	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-104149	2

FORD TRUCK
1992 — F-350 — Cont.

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1992 — F Super Duty

Steering Illustration: N/A			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	161" WB Right	MEOE-46	1
	161" WB Left	MEOE-53	1
	Threaded Adapter between Tie Rod & Full Tube	MEOE-55	1
Tie Rod	Includes both Outer Tie Rod Ends	MEOE-37	1
	Right Outer	MEOE-94	1
	U/4200# FGAWR; Right	MEOE-140	1
	O/4200# FGAWR; Right	MEOE-132	1
	Left Outer	MEOE-141	1
	Left Inner	MEOE-95	1
Spindle Bushing & Pin Kit	w/Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA, F2TA-3001-AA	MEOE-2	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1992 — F53

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1992 — F59

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1992 — F

Steering Illustration: N/A		Suspension Illustration: N/A	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	F600, F700, F800; w/6000-7000# Front Axle; Axle ID F5HT-3010BA,CA; Right Outer	MEOE-99	1
	F600, F700, F800; w/6000-7000# Front Axle; Axle ID F5HT-3010BA,CA; Left Outer	MEOE-135	1
	F600, F700, F800; w/12,000 & 15,000# Front Steel Axles; Right Outer	MEOE-93	1
	F600, F700, F800; w/12,000 & 15,000# Front Steel Axles; Left Outer	MEOE-131	1
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-4	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1992 — Ranger

Steering Illustration: 3		Suspension Illustration: 22	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	RWD	MDOE-14	1
	4WD Left	MDS-1177	1
	Connecting Tie Rod - 22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Stud; Lower	MCS-10380	2
	4WD w/DANA 28 Axle w/Threaded Stud; Upper	MCS-10379	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Lower	MCS-10376	2
	RWD Upper	MCS-104132	2

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1992 — School Bus Chassis

Steering Illustration: N/A		Suspension Illustration: N/A	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-4	1

FORD TRUCK
1992 — School Bus Chassis — Cont.

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Spindle Bushing & Pin Kit — Cont.	w/8000-9000# Front Axle	MEOE-3	1

1991 — Aerostar

Steering Illustration: 10 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Upper	MCS-104174	2
	RWD Lower	MCS-10327	2
	4WD Lower	MCS-104148	2

1991 — Bronco

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design; Connecting Tie Rod - 33.65" Long	MDOE-11	1
	Optional Type; Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Left	MEOE-53	1
	OE Design; Right	MEOE-54	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Upper	MCS-10339	2
	Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1991 — E-150 Econoline

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1991 — E-250 Econoline

Steering Illustration: 4 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	RWD w/1" Thread & 5.50" Length; Front Right	MES-2012S	1

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1991 — E-350 Econoline

Steering Illustration: 4 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1991 — Explorer

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Left	MDS-1177	1
	4WD Connecting Tie Rod w/22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	RWD 1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Front Left	MES-2079S	1
	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	4WD Right Outer	MES-2212R	1
	4WD Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Ball Joint Stud; Lower	MCS-10380	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2

FORD TRUCK
1991 — Explorer — Cont.

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension: — Cont.			
Ball Joint — Cont.	RWD Upper	MCS-104132	2
	4WD w/DANA 28 Axle - Threaded Ball Joint Stud; Upper	MCS-10379	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1991 — F-150

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104133	2
	RWD Upper	MCS-104132	2
	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

Motorcraft

FORD TRUCK
1991 — F-250

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1
	RWD OE Design; Left	MEOE-53	1
	RWD Extended Cab Pickup Optional Type; O/8500 GVW w/4200 lb. Or More Axle - 1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Standard Cab Pickup Optional Type; Front Right	MES-2079S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Right Outer	MEOE-140	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Optional Type; Right Outer	MES-2212R	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA	MEOE-2	1
Front Suspension:			
Ball Joint	RWD w/Twin I-Beam; Lower	MCS-104138	2
	RWD w/Twin I-Beam; Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design	MDOE-11	1
	4WD Optional Type; From Connecting Tie Rod At Pitman Arm; Right	MDS-1069	1
	4WD Optional Type; Left	MDS-1072	1
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Tie Rod	4WD Right Outer	MES-2727R	1
	4WD Left Outer	MES-2728L	1
Front Suspension:			
Ball Joint	4WD w/4600 lb. Axle; Lower	MCS-10383	2
	4WD Upper	MCS-10339	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1991 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Extended Cab Pickup, Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Standard Cab Pickup Optional Type; U/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; Connecting Tie Rod; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Right	MEOE-46	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; Exc. 4200 lb. or More Front Axle; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; O/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; Exc. O/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Optional Type; Right Outer	MES-2396	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connects to Adjusting Sleeves; Left Outer	MDOE-13	2
	4WD Optional Type; At Connecting Rod, 1.00" x 18 Threads; Right	MDS-1068	1
	4WD Optional Type; Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design	MEOE-51	2
	4WD Optional Type	MES-2012S	2
Tie Rod	4WD OE Design; Steering Arm to Steering Arm; w/SRW; Right Outer	MEOE-96	1
	4WD OE Design; Steering Arm to Steering Arm; w/DRW; Right Outer	MEOE-97	1
	4WD OE Design; At Pitman Arm; Outer	MEOE-133	1
	4WD Optional Type; Steering Arm to Steering Arm; Left Outer	MES-2615R	1
	4WD Optional Type; At Pitman Arm; Left Inner	MES-2615R	1

Motorcraft

FORD TRUCK
1991 — F-350 — Cont.

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1991 — F Super Duty

Steering Illustration: N/A — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	161" WB Right	MEOE-46	1
	161" WB Left	MEOE-53	1
	Threaded Adapter between Tie Rod & Full Tube	MEOE-55	1
Tie Rod	Includes both Outer Tie Rod Ends	MEOE-37	1
	Right Outer	MEOE-94	1
	U/4200# FGAWR; Right	MEOE-140	1
	O/4200# FGAWR; Right	MEOE-132	1
	Left Outer	MEOE-141	1
	Left Inner	MEOE-95	1
Spindle Bushing & Pin Kit	w/Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA	MEOE-2	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1991 — F53

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1991 — F59

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1991 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	F600, F700, F800; w/6000-7000# Front Axle; Axle ID F5HT-3010BA,CA; Right Outer	MEOE-99	1
	F600, F700, F800; w/6000-7000# Front Axle; Axle ID F5HT-3010BA,CA; Left Outer	MEOE-135	1
	F600, F700, F800; w/10,000-11,000# Steel Front Axle; Right Outer	MEOE-93	1
	F600, F700, F800; w/10,000-11,000# Steel Front Axle; Left Outer	MEOE-131	1
	F600, F700, F800; w/10,000-12,000# Aluminuml Front Axle; Right Outer	MEOE-93	1
	F600, F700, F800; w/10,000-12,000# Aluminuml Front Axle; Left Outer	MEOE-131	1
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-4	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1991 — Ranger

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD	MDOE-14	1
	4WD Left	MDS-1177	1
	Connecting Tie Rod - 22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Stud; Lower	MCS-10380	2
	4WD w/DANA 28 Axle w/Threaded Stud; Upper	MCS-10379	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Lower	MCS-10376	2
	RWD Upper	MCS-104132	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

Motorcraft

FORD TRUCK

1991 — School Bus Chassis

Steering Illustration: N/A		Suspension Illustration: N/A	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-4	1
	w/8000-9000# Front Axle	MEOE-3	1

1990 — Aerostar

Steering Illustration: 10		Suspension Illustration: 184	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Upper	MCS-104174	2
	RWD Lower	MCS-10327	2
	4WD Lower	MCS-104148	2

1990 — Bronco

Steering Illustration: 3		Suspension Illustration: 20	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design; Connecting Tie Rod - 33.65" Long	MDOE-11	1
	Optional Type; Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Left	MEOE-53	1
	OE Design; Right	MEOE-54	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	Upper	MCS-10339	2
	Lower	MCS-10253	2

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1990 — Bronco II

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Left	MDS-1177	1
	4WD Connecting Tie Rod - 28.05" Length w/22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Ball Joint Stud; Lower	MCS-10380	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Lower	MCS-10376	2
	RWD Upper	MCS-104132	2
	4WD w/DANA 28 Axle - Threaded Ball Joint Stud; Upper	MCS-10379	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1990 — E-150 Econoline

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1990 — E-250 Econoline

Steering Illustration: 4 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	RWD w/1" Thread & 5.50" Length; Front Right	MES-2012S	1

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1990 — E-350 Econoline

Steering Illustration: 4			Suspension Illustration: 22
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Adjusting Sleeve	OE Design; Front Right	MEOE-51	1
	OE Design; Front Left	MEOE-54	1
	Optional Type; Front Right	MES-2012S	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1990 — F-150

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104133	2
	RWD Upper	MCS-104132	2
	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1990 — F-250

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; Left	MDS-1017	1
	RWD Optional Type; U/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1

FORD TRUCK
1990 — F-250 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Adjusting Sleeve — Cont.	RWD OE Design; Left	MEOE-53	1
	RWD Extended Cab Pickup Optional Type; O/8500 GVW w/4200 lb. Or More Axle - 1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Standard Cab Pickup Optional Type; Front Right	MES-2079S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Right Outer	MEOE-140	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Optional Type; Right Outer	MES-2212R	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA	MEOE-2	1
Front Suspension:			
Ball Joint	RWD w/Twin I-Beam; Lower	MCS-104138	2
	RWD w/Twin I-Beam; Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design	MDOE-11	1
	4WD Optional Type; From Connecting Tie Rod At Pitman Arm; Right	MDS-1069	1
	4WD Optional Type; Left	MDS-1072	1
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Tie Rod	4WD Right Outer	MES-2727R	1
	4WD Left Outer	MES-2728L	1
Front Suspension:			
Ball Joint	4WD w/4600 lb. Axle; Lower	MCS-10383	2
	4WD Upper	MCS-10339	2
	4WD 3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1990 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Extended Cab Pickup, Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Optional Type; Left	MDS-1017	1

FORD TRUCK
1990 — F-350 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Drag Link — Cont.	RWD Crew Cab Pickup Optional Type; Connecting Tie Rod; Right	MDS-1073	1
Adjusting Sleeve	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Right	MEOE-46	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; Exc. 4200 lb. or More Front Axle; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; O/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; Exc. O/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Optional Type; Right Outer	MES-2396	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connects to Adjusting Sleeves; Left Outer	MDOE-13	2
	4WD Optional Type; At Connecting Rod, 1.00" x 18 Threads; Right	MDS-1068	1
	4WD Optional Type; Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design	MEOE-51	2
	4WD Optional Type	MES-2012S	2
Tie Rod	4WD OE Design; Steering Arm to Steering Arm; w/SRW; Right Outer	MEOE-96	1
	4WD OE Design; Steering Arm to Steering Arm; w/DRW; Right Outer	MEOE-97	1
	4WD OE Design; At Pitman Arm; Outer	MEOE-133	1
	4WD Optional Type; Steering Arm to Steering Arm; Left Outer	MES-2615R	1
	4WD Optional Type; At Pitman Arm; Left Inner	MES-2615R	1

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1990 — F Super Duty

Steering Illustration: N/A — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	161" WB Right	MEOE-46	1
	161" WB Left	MEOE-53	1
	Threaded Adapter between Tie Rod & Full Tube	MEOE-55	1
Tie Rod	Includes both Outer Tie Rod Ends	MEOE-37	1
	Right Outer	MEOE-94	1
	U/4200# FGAWR; Right	MEOE-140	1
	O/4200# FGAWR; Right	MEOE-132	1
	Left Outer	MEOE-141	1
	Left Inner	MEOE-95	1
Spindle Bushing & Pin Kit	w/Front Axle ID E8TA-3001-AD/AE, F1TA-3001-AA	MEOE-2	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1990 — F53

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1990 — F59

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1990 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	F600, F700, F800; w/6000-7000# Front Axle; Axle ID F5HT-3010BA,CA; Right Outer	MEOE-99	1
	F600, F700, F800; w/6000-7000# Front Axle; Axle ID F5HT-3010BA,CA; Left Outer	MEOE-135	1
	F600, F700, F800; w/10,000-11,000# Steel Front Axle; Right Outer	MEOE-93	1
	F600, F700, F800; w/10,000-11,000# Steel Front Axle; Left Outer	MEOE-131	1

FORD TRUCK
1990 — F — Cont.

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	F600, F700, F800; w/10,000-12,000# Aluminuml Front Axle; Right Outer	MEOE-93	1
	F600, F700, F800; w/10,000-12,000# Aluminuml Front Axle; Left Outer	MEOE-131	1
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-4	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1990 — FT

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	FT800; w/6000-7000# Front Axle	MEOE-4	1
	FT800; w/8000-9000# Front Axle	MEOE-3	1

1990 — Ranger

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD	MDOE-14	1
	4WD Left	MDS-1177	1
	Connecting Tie Rod - 22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1
	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Upper	MCS-104162	2
	4WD w/DANA 28 Axle - Threaded Stud; Lower	MCS-10380	2
	4WD w/DANA 28 Axle w/Threaded Stud; Upper	MCS-10379	2
	4WD w/DANA 35 Axle - Ball Joint Uses Pinch Bolt; Lower	MCS-10376	2
	RWD Lower	MCS-10376	2
	RWD Upper	MCS-104132	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1990 — School Bus Chassis

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-4	1
	w/8000-9000# Front Axle	MEOE-3	1

1989 — Aerostar

Steering Illustration: 10 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2
	Upper	MCS-104174	2

1989 — Bronco

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connecting Tie Rod - 33.65" Long - 22mm Thread	MDOE-11	1
	4WD Optional Type; Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
	4WD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	4WD OE Design; Right	MEOE-54	1
	4WD OE Design; Left	MEOE-53	1
	4WD Optional Type; Front Right	MES-2079S	1
	4WD Optional Type; Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Inner	MEOE-95	1
	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	4WD Optional Type; Right Outer	MES-2212R	1
	4WD Optional Type; Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1989 — Bronco II

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Connecting Tie Rod - 28.05" Length w/22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-10376	2
	RWD Upper	MCS-104132	2
	4WD Upper	MCS-10379	2
	4WD Lower	MCS-10380	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1989 — E-150 Econoline

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1989 — E-250 Econoline

Steering Illustration: 4 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	RWD w/1" Thread & 5.50" Length; Front Right	MES-2012S	1

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1989 — E-350 Econoline

Steering Illustration: 4			Suspension Illustration: 22
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	RWD w/1" Thread & 5.50" Length; Front Right	MES-2012S	1

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1989 — F-150

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Right Outer	MES-2212R	1
	Optional Type; Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104133	2
	RWD Upper	MCS-104132	2
	4WD Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1989 — F-250

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1

FORD TRUCK
1989 — F-250 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Drag Link — Cont.	RWD Optional Type; O/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1
	RWD OE Design; Left	MEOE-53	1
	RWD Optional Type; Front Right	MES-2079S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Right Outer	MEOE-140	1
	RWD Extended Cab Pickup, Standard Cab Pickup Optional Type; Right Outer	MES-2212R	1
	RWD Optional Type; Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD w/Twin I-Beam; Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD From Connecting Tie Rod At Pitman Arm; Right	MDS-1069	1
	4WD Left	MDS-1072	1
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Tie Rod	4WD Right Outer	MES-2727R	1
	4WD Left Outer	MES-2728L	1
Front Suspension:			
Ball Joint	4WD w/4600 lb. Axle; Lower	MCS-10383	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1989 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1

FORD TRUCK
1989 — F-350 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Drag Link — Cont.	RWD Standard Cab Pickup Optional Type; 0/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; Connecting Tie Rod; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; From 9/88; Right	MEOE-46	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Before 9/88; Right	MEOE-51	1
	RWD 161", 168" WB Crew Cab Pickup OE Design; Before 9/88; Right	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; Before 3/1/89; w/4200 lb. or More Front Axle; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; 0/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; 0/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Optional Type; Right Outer	MES-2396	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD At Connecting Rod, 1.00" x 18 Threads; Right	MDS-1068	1
	4WD Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design	MEOE-51	2
	4WD Optional Type; w/1" Thread & 5.50" Length; Front Left	MES-2012S	1
	4WD Optional Type; w/1.00" x 18 Threads (2nd Design); Front Right	MES-2012S	1
Tie Rod	4WD OE Design; At Pitman Arm; Outer	MEOE-133	1
	4WD Optional Type; At Pitman Arm; Left Inner	MES-2615R	1
	4WD Steering Arm to Steering Arm; Left Outer	MES-2615R	1

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1989 — F53

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1989 — F59

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connects to Spindle Arm	MDOE-10	1
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1989 — F

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-1	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1989 — FT

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	FT800; w/6000-7000# Front Axle	MEOE-1	1
	FT800; w/8000-9000# Front Axle	MEOE-3	1

1989 — Ranger

Steering Illustration: 3			Suspension Illustration: 22
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connecting Tie Rod - 22mm Thread; Right	MDS-1176	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	Optional Type; Left Outer	MES-2213L	1

FORD TRUCK
1989 — Ranger — Cont.

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Optional Type; Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD Lower	MCS-10380	2
	RWD Lower	MCS-10376	2
	RWD Upper	MCS-104132	2
	4WD Upper	MCS-10379	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1989 — School Bus Chassis

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-1	1
	w/8000-9000# Front Axle	MEOE-3	1

1988 — Aerostar

Steering Illustration: 10 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2
	Upper	MCS-104174	2

1988 — Bronco

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connecting Tie Rod - 33.65" Long - 22mm Thread	MDOE-11	1
	4WD Optional Type; Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
	4WD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	4WD OE Design; Right	MEOE-54	1

FORD TRUCK
1988 — Bronco — Cont.

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Adjusting Sleeve — Cont.	4WD OE Design; Left	MEOE-53	1
	4WD Optional Type; Front Right	MES-2079S	1
	4WD Optional Type; Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Inner	MEOE-95	1
	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	4WD Optional Type; Right Outer	MES-2212R	1
	4WD Optional Type; Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1988 — Bronco II

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-10376	2
	4WD Upper	MCS-10379	2
	4WD Lower	MCS-10380	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1988 — E-150 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1988 — E-250 Econoline

Steering Illustration: 4			Suspension Illustration: 22
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	RWD From 2/01/88; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1988 — E-350 Econoline

Steering Illustration: 4			Suspension Illustration: 22
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	RWD From 2/01/88; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1988 — F-150

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1

FORD TRUCK
1988 — F-150 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Right Outer	MES-2212R	1
	Optional Type; Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104133	2
	RWD Upper	MCS-104132	2
	4WD Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1988 — F-250

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; O/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1
	RWD OE Design; Left	MEOE-53	1
	RWD Optional Type; Front Right	MES-2079S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Right Outer	MEOE-140	1
	RWD Extended Cab Pickup, Standard Cab Pickup Optional Type; Right Outer	MES-2212R	1
	RWD Optional Type; Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD w/Twin I-Beam; Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD From Connecting Tie Rod At Pitman Arm; Right	MDS-1069	1
	4WD Left	MDS-1072	1
Adjusting Sleeve	4WD OE Design	MEOE-54	2

FORD TRUCK
1988 — F-250 — Cont.

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Adjusting Sleeve — Cont.	4WD Optional Type	MES-2079S	2
Tie Rod	4WD Right Outer	MES-2727R	1
	4WD Left Outer	MES-2728L	1
Front Suspension:			
Ball Joint	4WD w/4600 lb. Axle; Lower	MCS-10383	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1988 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Standard Cab Pickup Optional Type; O/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; Connecting Tie Rod; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Extended Cab Pickup, Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 168" WB Crew Cab Pickup OE Design; Right	MEOE-51	1
	RWD 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Extended Cab Pickup, Standard Cab Pickup Optional Type; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; O/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; O/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Optional Type; Right Outer	MES-2396	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD Upper	MCS-104132	2

Motorcraft

FORD TRUCK
1988 — F-350 — Cont.

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD At Connecting Rod, 1.00" x 18 Threads; Right	MDS-1068	1
	4WD Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design	MEOE-51	2
	4WD Optional Type; w/1" Thread & 5.50" Length; Front Left	MES-2012S	1
	4WD Optional Type; w/1.00" x 18 Threads (2nd Design); Front Right	MES-2012S	1
Tie Rod	4WD OE Design; At Pitman Arm; Outer	MEOE-133	1
	4WD Optional Type; At Pitman Arm; Left Inner	MES-2615R	1
	4WD Steering Arm to Steering Arm; Left Outer	MES-2615R	1

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1988 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-1	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1988 — FT

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	FT800; w/6000-7000# Front Axle	MEOE-1	1
	FT800; w/8000-9000# Front Axle	MEOE-3	1

1988 — Ranger

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	Left Outer	MES-2213L	1
	Right Outer	MES-2212R	1

FORD TRUCK
1988 — Ranger — Cont.

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	4WD Lower	MCS-10380	2
	RWD Lower	MCS-10376	2
	4WD Upper	MCS-10379	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1988 — School Bus Chassis

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-1	1
	w/8000-9000# Front Axle	MEOE-3	1

1987 — Aerostar

Steering Illustration: 10 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Inner	MES-3105	2
Front Suspension:			
Ball Joint	Lower	MCS-10327	2
	Upper	MCS-104174	2

1987 — Bronco

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connecting Tie Rod - 33.65" Long - 22mm Thread	MDOE-11	1
	4WD Optional Type; Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
	4WD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	4WD OE Design; Right	MEOE-54	1
	4WD OE Design; Left	MEOE-53	1
	4WD Optional Type; Front Right	MES-2079S	1
	4WD Optional Type; Front Left	MES-2080S	1

FORD TRUCK
1987 — Bronco — Cont.

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering: — Cont.			
Tie Rod	4WD OE Design; Left Inner	MEOE-95	1
	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	4WD Optional Type; Right Outer	MES-2212R	1
	4WD Optional Type; Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1987 — Bronco II

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-10376	2
	4WD Upper	MCS-10379	2
	4WD Lower	MCS-10380	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1987 — E-150 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1987 — E-250 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1987 — E-350 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1987 — F-150

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Right Outer	MES-2212R	1
	Optional Type; Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104133	2
	RWD Upper	MCS-104132	2
	4WD Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

Motorcraft

FORD TRUCK
1987 — F-250

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; O/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1
	RWD OE Design; Left	MEOE-53	1
	RWD Optional Type; Front Right	MES-2079S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Right Outer	MEOE-140	1
	RWD Extended Cab Pickup, Standard Cab Pickup Optional Type; Right Outer	MES-2212R	1
	RWD Optional Type; Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD w/Twin I-Beam; Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD From Connecting Tie Rod At Pitman Arm; Right	MDS-1069	1
	4WD Left	MDS-1072	1
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Tie Rod	4WD Right Outer	MES-2727R	1
	4WD Left Outer	MES-2728L	1
Front Suspension:			
Ball Joint	4WD w/4600 lb. Axle; Lower	MCS-10383	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1987 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1

FORD TRUCK
1987 — F-350 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Drag Link — Cont.	RWD Standard Cab Pickup Optional Type; O/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; Connecting Tie Rod; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 168" WB Crew Cab Pickup OE Design; Right	MEOE-51	1
	RWD 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; O/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; O/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Optional Type; Right Outer	MES-2396	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD Lower	MCS-104138	2
	RWD Upper	MCS-104132	2

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD At Connecting Rod, 1.00" x 18 Threads; From 2/1/87; Right	MDS-1068	1
	4WD Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design; From 2/1/87	MEOE-51	2
	4WD OE Design; Before 2/1/87	MEOE-53	2
	4WD Optional Type; From 2/1/87; w/1.00" x 18 Threads (2nd Design); Front Right	MES-2012S	1
	4WD Optional Type; Before 2/1/87; w/22mm Diameter Threads (1st Design); Front Right	MES-2079S	1
	4WD Optional Type; w/1" Thread & 5.50" Length; Front Left	MES-2012S	1
Tie Rod	4WD OE Design; At Pitman Arm; Outer	MEOE-133	1
	4WD Optional Type; At Pitman Arm w/22mm Diameter Threads (1st Design); Left Inner	MES-2615R	1

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

Motorcraft

FORD TRUCK
1987 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	F600, F700, F800; w/OE #EH2T-AA, E5HT-GA; 19-1/4" Length	MDOE-21	1
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-1	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1987 — Ranger

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	Left Outer	MES-2213L	1
	Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD Lower	MCS-10380	2
	RWD Lower	MCS-10376	2
	4WD Upper	MCS-10379	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1987 — School Bus Chassis

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/OE # EH2T-AA, E5HT-GA; 19-1/4" Length	MDOE-21	1
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-1	1
	w/8000-9000# Front Axle	MEOE-3	1

1986 — Aerostar

Steering Illustration: 10 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MES-2262R	2
	OE Design; Inner	MEOE-36	2
	Optional Type; Inner	MES-3105	2

FORD TRUCK
1986 — Aerostar — Cont.

Steering Illustration: 10 — **Suspension Illustration: 184**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension:			
Ball Joint	Lower	MCS-10327	2
	Upper	MCS-104174	2

1986 — Bronco

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD OE Design; Connecting Tie Rod - 33.65" Long - 22mm Thread	MDOE-11	1
	4WD Optional Type; Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
	4WD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	4WD OE Design; Left Inner	MEOE-95	1
	4WD OE Design; Left Outer	MEOE-141	1
	4WD OE Design; Right Outer	MEOE-140	1
	4WD Optional Type; Right Outer	MES-2212R	1
	4WD Optional Type; Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1986 — Bronco II

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10379	2
	4WD Lower	MCS-10380	2

Motorcraft

FORD TRUCK

1986 — E-150 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1986 — E-250 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1986 — E-350 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1986 — F-150

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	OE Design; Left Inner	MEOE-95	1
	OE Design; Left Outer	MEOE-141	1
	OE Design; Right Outer	MEOE-140	1
	Optional Type; Right Outer	MES-2212R	1
	Optional Type; Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD w/I-Beam Axle; Upper	MCS-10379	2
	4WD Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

FORD TRUCK
1986 — F-150 — Cont.

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1986 — F-250

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; 0/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1
	RWD OE Design; Left	MEOE-53	1
	RWD Optional Type; Front Right	MES-2079S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Right Outer	MEOE-140	1
	RWD Extended Cab Pickup, Standard Cab Pickup Optional Type; Right Outer	MES-2212R	1
	RWD Optional Type; Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD From Connecting Tie Rod At Pitman Arm; Right	MDS-1069	1
	4WD Left	MDS-1072	1
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Tie Rod	4WD Right Outer	MES-2727R	1
	4WD Left Outer	MES-2728L	1
Front Suspension:			
Ball Joint	4WD w/4600 lb. Axle; Lower	MCS-10383	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

Motorcraft

FORD TRUCK
1986 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Standard Cab Pickup Optional Type; O/4200 lb. Front Axle, Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; Connecting Tie Rod; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 168" WB Crew Cab Pickup OE Design; Right	MEOE-51	1
	RWD 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD OE Design; Left Outer	MEOE-141	1
	RWD OE Design; Left Inner	MEOE-95	1
	RWD OE Design; U/4200# FGAWR; Right Outer	MEOE-140	1
	RWD OE Design; O/4200# FGAWR; Right Outer	MEOE-132	1
	RWD Optional Type; Left Outer	MES-2213L	1
	RWD Standard Cab Pickup Optional Type; O/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Optional Type; Right Outer	MES-2396	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Connecting Tie Rod, Length 50", 1" Thread; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design	MEOE-53	2
	4WD Optional Type; w/1" Thread & 5.50" Length; Front Left	MES-2012S	1
	4WD Optional Type; w/22mm Diameter Threads (1st Design); Front Right	MES-2079S	1
Tie Rod	4WD At Pitman Arm w/22mm Diameter Threads (1st Design); Left Inner	MES-2615R	1

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1986 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	F600, F700, F800; w/OE #EH2T-AA, E5HT-GA; 19-1/4" Length	MDOE-21	1
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-1	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1986 — FT

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	FT800; w/6000-7000# Front Axle	MEOE-1	1
	FT800; w/8000-9000# Front Axle	MEOE-3	1

1986 — Ranger

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Front Right	MES-2079S	1
	Front Left	MES-2080S	1
Tie Rod	Left Outer	MES-2213L	1
	Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD Lower	MCS-10380	2
	RWD Lower	MCS-10376	2
	4WD Upper	MCS-10379	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1986 — School Bus Chassis

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/OE # EH2T-AA, E5HT-GA; 19-1/4" Length	MDOE-21	1
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-1	1
	w/8000-9000# Front Axle	MEOE-3	1

Motorcraft

FORD TRUCK

1985 — Bronco

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Left	MDS-1017	1
	4WD Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	4WD Right Outer	MES-2212R	1
	4WD Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1985 — Bronco II

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10379	2
	4WD Lower	MCS-10380	2

1985 — E-150 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1985 — E-250 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1985 — E-350 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1985 — F-150

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD w/I-Beam Axle; Upper	MCS-10379	2
	4WD Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1985 — F-250

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD OE Design; Right	MEOE-54	1
	RWD OE Design; Left	MEOE-53	1
	RWD Optional Type; Front Right	MES-2079S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD Optional Type; Right Outer	MES-2212R	1
	RWD Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

FORD TRUCK
1985 — F-250 — Cont.

Steering Illustration: 8		Suspension Illustration: 20	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	4WD Connecting Tie Rod At Pitman Arm; From 1/1/85; Right	MDS-1069	1
	4WD From 1/1/85; Left	MDS-1072	1
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Tie Rod	4WD From 1/1/85; Right Outer	MES-2727R	1
	4WD From 1/1/85; Left Outer	MES-2728L	1
Front Suspension:			
Ball Joint	4WD w/3850 lb. Axle & 4.10 Axle Ratio or w/4600 lb. Axle; Lower	MCS-10383	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1985 — F-350

Steering Illustration: 3		Suspension Illustration: 20	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	RWD Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Standard Cab Pickup Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Crew Cab Pickup Optional Type; Connecting Tie Rod; Right	MDS-1073	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Standard Cab Pickup OE Design; Right	MEOE-54	1
	RWD Standard Cab Pickup OE Design; Left	MEOE-53	1
	RWD 168" WB Crew Cab Pickup OE Design; Right	MEOE-51	1
	RWD 168" WB Crew Cab Pickup OE Design; Left	MEOE-53	1
	RWD Standard Cab Pickup Optional Type; Front Right	MES-2079S	1
	RWD Crew Cab Pickup Optional Type; w/1" Thread & 5.50" Length; Front Right	MES-2012S	1
	RWD Optional Type; Front Left	MES-2080S	1
Tie Rod	RWD Left Outer	MES-2213L	1
	RWD Standard Cab Pickup O/4200 Front Axle; Right Outer	MES-2212R	1
	RWD Crew Cab Pickup Right Outer	MES-2396	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

FORD TRUCK
1985 — F-350 — Cont.

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Mono Beam Axle, Connecting Tie Rod, Length 50", 1" Thread; From 2/1/85; Right	MDS-1071	1
Adjusting Sleeve	4WD OE Design; From 2/85	MEOE-53	2
	4WD OE Design; Before 2/85	MEOE-54	2
	4WD Optional Type; w/1" Thread & 5.50" Length; Front Left	MES-2012S	1
	4WD Optional Type; From 2/1/85; Mono Beam Axle w/22mm Diameter Threads (1st Design); Front Right	MES-2079S	1
Tie Rod	4WD At Pitman Arm; From 2/1/85; w/Mono-Beam Axle w/22mm Diameter Threads (1st Design); Left Inner	MES-2615R	1
	4WD Steering Arm to Steering Arm; From 2/1/85; w/Mono-Beam Axle; Left Outer	MES-2615R	1
Front Suspension:			
Ball Joint	4WD Before 2/1/85; Upper	MCS-10339	2
	4WD Before 2/1/85; Lower	MCS-10383	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1985 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	F600, F700, F800; w/OE #EH2T-AA, E5HT-GA; 19-1/4" Length	MDOE-21	1
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-1	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1985 — FT

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	FT800; w/6000-7000# Front Axle	MEOE-1	1
	FT800; w/8000-9000# Front Axle	MEOE-3	1

1985 — Ranger

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Front Right	MES-2079S	1

FORD TRUCK
1985 — Ranger — Cont.

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Adjusting Sleeve — Cont.	Front Left	MES-2080S	1
Tie Rod	Left Outer	MES-2213L	1
	Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD Lower	MCS-10380	2
	RWD Lower	MCS-10376	2
	4WD Upper	MCS-10379	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1985 — School Bus Chassis

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/OE # EH2T-AA, E5HT-GA; 19-1/4" Length	MDOE-21	1
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-1	1
	w/8000-9000# Front Axle	MEOE-3	1

1984 — Bronco

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Left	MDS-1017	1
	4WD Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	4WD Right Outer	MES-2212R	1
	4WD Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1984 — Bronco II

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10379	2
	4WD Lower	MCS-10380	2

1984 — E-150 Econoline

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1984 — E-250 Econoline

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1984 — E-350 Econoline

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1984 — F-150

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1

FORD TRUCK
1984 — F-150 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD w/I-Beam Axle; Upper	MCS-10379	2
	4WD Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1984 — F-250

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	RWD Right Outer	MES-2212R	1
	RWD Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Front Suspension:			
Ball Joint	4WD w/3850 lb. Axle & 4.10 Axle Ratio or w/4600 lb. Axle; Lower	MCS-10383	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1984 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	RWD Left Outer	MES-2213L	1
	RWD Standard Cab Pickup O/4200 Front Axle; Right Outer	MES-2212R	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Front Suspension:			
Ball Joint	4WD Lower	MCS-10383	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1984 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	F600, F700, F800; w/OE #EH2T-AA, E5HT-GA; 19-1/4" Length	MDOE-21	1
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-1	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1984 — FT

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	FT800; w/6000-7000# Front Axle	MEOE-1	1
	FT800; w/8000-9000# Front Axle	MEOE-3	1

Motorcraft

FORD TRUCK
1984 — Ranger

Steering Illustration: 3 — **Suspension Illustration: 22**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Front Right	MES-2079S	1
	Front Left	MES-2080S	1
Tie Rod	Left Outer	MES-2213L	1
	Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD Lower	MCS-10380	2
	RWD Lower	MCS-10376	2
	4WD Upper	MCS-10379	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1984 — School Bus Chassis

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/OE # EH2T-AA, E5HT-GA; 19-1/4" Length	MDOE-21	1
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-1	1
	w/8000-9000# Front Axle	MEOE-3	1

1983 — Bronco

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Left	MDS-1017	1
	4WD Connecting Tie Rod - 33.65" Long - 22mm Thread; Right .	MDS-1018	1
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	4WD Right Outer	MES-2212R	1
	4WD Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1983 — E-150 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1983 — E-250 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1983 — E-350 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1983 — F-150

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	OE Design	MDOE-11	1
	OE Design	MDOE-11	1
	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD w/I-Beam Axle; Upper	MCS-10379	2
	4WD Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1983 — F-250

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	RWD Right Outer	MES-2212R	1
	RWD Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Front Suspension:			
Ball Joint	4WD w/3850 lb. Axle & 4.10 Axle Ratio or w/4600 lb. axle; Lower	MCS-10383	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1983 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Standard Cab Pickup OE Design	MDOE-11	1
	RWD Crew Cab Pickup OE Design	MDOE-12	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	Left Outer	MES-2213L	1
	RWD Standard Cab Pickup O/4200 Front Axle; Right Outer	MES-2212R	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD OE Design	MEOE-54	2

FORD TRUCK
1983 — F-350 — Cont.

Steering Illustration: 8			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Adjusting Sleeve — Cont.	4WD Optional Type	MES-2079S	2
Front Suspension:			
Ball Joint	4WD Lower	MCS-10383	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1983 — F

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	F600, F700, F800; w/OE #EH2T-AA, E5HT-GA; 19-1/4" Length	MDOE-21	1
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-1	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1983 — FT

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	FT800; w/6000-7000# Front Axle	MEOE-1	1
	FT800; w/8000-9000# Front Axle	MEOE-3	1

1983 — Ranger

Steering Illustration: 3			Suspension Illustration: 22
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	Front Right	MES-2079S	1
	Front Left	MES-2080S	1
Tie Rod	Left Outer	MES-2213L	1
	Right Outer	MES-2212R	1
Front Suspension:			
Ball Joint	4WD Lower	MCS-10380	2
	RWD Lower	MCS-10376	2
	4WD Upper	MCS-10379	2

FORD TRUCK
1983 — Ranger — Cont.

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1983 — School Bus Chassis

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	w/OE # EH2T-AA, E5HT-GA; 19-1/4" Length	MDOE-21	1
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-1	1
	w/8000-9000# Front Axle	MEOE-3	1

1983 — F-100

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Left	MDS-1017	1
	RWD Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	RWD w/I-Beam Axle; Lower	MCS-10253	2
	RWD w/I-Beam Axle; Upper	MCS-10379	2

1983 — E-100 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1983 — F-100

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1982 — Bronco

Steering Illustration: 3		Suspension Illustration: 20	
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Left	MDS-1017	1
	4WD Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	4WD Right Outer	MES-2212R	1
	4WD Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1982 — E-150 Econoline

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1982 — E-250 Econoline

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1982 — E-350 Econoline

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1982 — F-150

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Optional Type; Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD w/I-Beam Axle; Upper	MCS-10379	2
	4WD Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1982 — F-250

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	RWD Right Outer	MES-2212R	1
	RWD Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Front Suspension:			
Ball Joint	4WD w/4500 lb. Axle; Lower	MCS-10383	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

FORD TRUCK
1982 — F-250 — Cont.

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1982 — F-350

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD OE Design	MDOE-11	1
	RWD Optional Type; Left	MDS-1017	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	RWD Left Outer	MES-2213L	1
	RWD Standard Cab Pickup O/4200 Front Axle; Right Outer	MES-2212R	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Front Suspension:			
Ball Joint	4WD Lower	MCS-10383	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1982 — F

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-1	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

Motorcraft

FORD TRUCK
1982 — FT

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	FT800; w/6000-7000# Front Axle	MEOE-1	1
	FT800; w/8000-9000# Front Axle	MEOE-3	1

1982 — Ranger

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1982 — School Bus Chassis

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-1	1
	w/8000-9000# Front Axle	MEOE-3	1

1982 — F-100

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Left	MDS-1017	1
	RWD Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	RWD Power Exc. 4700 GVW; w/I-Beam Axle; Lower	MCS-10253	2
	RWD Power w/I-Beam Axle; w/4700 GVW; Lower	MCS-10380	2
	RWD w/I-Beam Axle; Upper	MCS-10379	2

1982 — E-100 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1982 — F-100

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1981 — Bronco

Steering Illustration: 3		Suspension Illustration: 20	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	4WD Left	MDS-1017	1
	4WD Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	4WD Right Outer	MES-2212R	1
	4WD Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1981 — E-150 Econoline

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1981 — E-250 Econoline

Steering Illustration: 87		Suspension Illustration: 77	
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK
1981 — E-350 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1981 — F-150

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	RWD From 8/4/81; w/I-Beam Axle; Upper	MCS-10379	2
	4WD Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1981 — F-250

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Drag Link	RWD Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Left	MDS-1017	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	RWD Right Outer	MES-2212R	1
	RWD Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8			Suspension Illustration: 20
PART DESCRIPTION	**QUALIFIER**	**PART NUMBER**	**QTY REQ'D**
Front Steering:			
Adjusting Sleeve	4WD OE Design	MEOE-54	2

FORD TRUCK
1981 — F-250 — Cont.

Steering Illustration: 8			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Adjusting Sleeve — Cont.	4WD Optional Type	MES-2079S	2
Front Suspension:			
Ball Joint	4WD w/4500 lb. Axle; Lower	MCS-10383	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1981 — F-350

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Left	MDS-1017	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	RWD Left Outer	MES-2213L	1
	RWD Standard Cab Pickup O/4200 Front Axle; Right Outer	MES-2212R	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD Front Left	MES-2079S	1
	4WD Front Right	MES-2079S	1
Front Suspension:			
Ball Joint	4WD w/4500 lb. Axle; Lower	MCS-10383	2
	4WD w/3800 lb. Axle; Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1981 — F

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-1	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1981 — FT

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	FT800; w/6000-7000# Front Axle	MEOE-1	1
	FT800; w/8000-9000# Front Axle	MEOE-3	1

1981 — Ranger

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1981 — School Bus Chassis

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-1	1
	w/8000-9000# Front Axle	MEOE-3	1

1981 — F-100

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Left	MDS-1017	1
	RWD Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	RWD Power Exc. 4700 GVW; From 8/4/81; w/I-Beam Axle; Lower	MCS-10253	2
	RWD From 8/4/81; w/I-Beam Axle; Upper	MCS-10379	2
	RWD Power 4700 GVW and I-Beam Axle; From 8/4/81; Lower	MCS-10380	2

FORD TRUCK

1981 — E-100 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1981 — F-100

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1980 — Bronco

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	4WD Left	MDS-1017	1
	4WD Connecting Tie Rod - 33.65" Long - 22mm Thread; Right	MDS-1018	1
Adjusting Sleeve	4WD Front Right	MES-2079S	1
	4WD Front Left	MES-2080S	1
Tie Rod	4WD Right Outer	MES-2212R	1
	4WD Left Outer	MES-2213L	1
Front Suspension:			
Ball Joint	4WD Upper	MCS-10339	2
	4WD Lower	MCS-10253	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1980 — E-150 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1980 — E-250 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1980 — E-350 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1980 — F-150

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	Left	MDS-1017	1
Adjusting Sleeve	OE Design; Right	MEOE-54	1
	OE Design; Left	MEOE-53	1
	Optional Type; Front Right	MES-2079S	1
	Optional Type; Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1
Front Suspension:			
Ball Joint	4WD Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1980 — F-250

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Connecting Tie Rod 33.65" Long w/22mm Thread; Right	MDS-1018	1
	RWD Left	MDS-1017	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	RWD Right Outer	MES-2212R	1
	RWD Left Outer	MES-2213L	1

FORD TRUCK
1980 — F-250 — Cont.

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD OE Design	MEOE-54	2
	4WD Optional Type	MES-2079S	2
Front Suspension:			
Ball Joint	4WD w/4500 lb. Axle; Lower	MCS-10383	2
	4WD w/3850 lb. Axle Exc. 4.10 Axle Ratio; Lower	MCS-10253	2
	4WD Upper	MCS-10339	2

Steering Illustration: 87 — **Suspension Illustration: 77**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1980 — F-350

Steering Illustration: 3 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Left	MDS-1017	1
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	RWD Left Outer	MES-2213L	1
	RWD Standard Cab Pickup O/4200 Front Axle; Right Outer	MES-2212R	1
Spindle Bushing & Pin Kit	Front Axle ID E8TA-3001-AD/AE	MEOE-2	1

Steering Illustration: 8 — **Suspension Illustration: 20**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	4WD Front Left	MES-2079S	1
	4WD Front Right	MES-2079S	1
Front Suspension:			
Ball Joint	4WD Lower	MCS-10383	2
	4WD Upper	MCS-10339	2

FORD TRUCK
1980 — F-350 — Cont.

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1980 — F

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	F600, F700, F800; w/6000-7000# Front Axle	MEOE-1	1
	F600, F700, F800; w/8000-9000# Front Axle	MEOE-3	1

1980 — FT

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	FT800; w/6000-7000# Front Axle	MEOE-1	1
	FT800; w/8000-9000# Front Axle	MEOE-3	1

1980 — Ranger

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1980 — School Bus Chassis

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Spindle Bushing & Pin Kit	w/6000-7000# Front Axle	MEOE-1	1
	w/8000-9000# Front Axle	MEOE-3	1

1980 — F-100

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Drag Link	RWD Left	MDS-1017	1
	RWD Connecting Tie Rod - 33.65" Long - 22mm Thread; Right .	MDS-1018	1

FORD TRUCK
1980 — F-100 — Cont.

Steering Illustration: 3			Suspension Illustration: 20
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Adjusting Sleeve	RWD Front Right	MES-2079S	1
	RWD Front Left	MES-2080S	1
Tie Rod	Right Outer	MES-2212R	1
	Left Outer	MES-2213L	1

1980 — E-100 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1980 — F-100

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1979 — Bronco

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1979 — E-150 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1979 — E-250 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1979 — E-350 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1979 — F-150

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1979 — F-250

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1979 — F-350

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1979 — Ranger

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1979 — E-100 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1978 — Bronco

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1978 — E-150 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1978 — E-250 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1978 — E-350 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1978 — F-150

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1978 — F-250

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

Motorcraft

FORD TRUCK
1978 — F-350

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1978 — Ranger

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1978 — E-100 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1977 — E-150 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1977 — E-250 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1977 — E-350 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1977 — F-150

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1977 — F-250

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1977 — F-350

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1977 — E-100 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1976 — E-150 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1976 — E-250 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1976 — E-350 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1976 — F-150

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1976 — F-250

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1976 — F-350

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1976 — E-100 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1975 — E-150 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

FORD TRUCK

1975 — E-250 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1975 — E-350 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1975 — F-150

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1975 — F-250

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1975 — F-350

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

1975 — E-100 Econoline

Steering Illustration: 87			Suspension Illustration: 77
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Rear Suspension:			
Sway Bar Link		MCS-18137	1

LINCOLN TRUCK

2008 — Mark LT

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4WD Inner	MEOE-27	2
	Outer	MEOE-76	2

2008 — MKX

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-30	2

2007 — Mark LT

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4WD Inner	MEOE-27	2
	Outer	MEOE-76	2

2007 — MKX

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-30	2

2006 — Mark LT

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4WD Inner	MEOE-27	2
	Outer	MEOE-76	2

2006 — Navigator

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-89	2
	Inner	MEOE-18	2

LINCOLN TRUCK

2005 — Aviator

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-61	2
	Inner	MEOE-17	2

2005 — Navigator

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-62	2
	Inner	MEOE-18	2

2004 — Aviator

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-61	2
	Inner	MEOE-17	2

2004 — Navigator

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-62	2
	Inner	MEOE-18	2

2003 — Aviator

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-61	2
	Inner	MEOE-17	2

LINCOLN TRUCK

2003 — Navigator

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Outer	MEOE-62	2
	Inner	MEOE-18	2

2002 — Blackwood

Steering Illustration: N/A — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Front Left	MEOE-56	1
	OE Design; Front Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	Right Inner	MES-3364L	1
	Left Inner	MES-3365R	1

2002 — Navigator

Steering Illustration: 64 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Left	MEOE-56	1
	OE Design; Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	RWD Includes Bushings; Left Upper	MCS-10751	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	4WD Includes Bushings; Right Upper	MCS-10754	1
Ball Joint	Lower	MCS-104222	2

LINCOLN TRUCK
2001 — Navigator

Steering Illustration: 64 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Left	MEOE-56	1
	OE Design; Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	RWD Includes Bushings; Left Upper	MCS-10751	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	4WD Includes Bushings; Right Upper	MCS-10754	1
Ball Joint	Lower	MCS-104222	2
Sway Bar Link		MCS-18228	2

2000 — Navigator

Steering Illustration: 64 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Left	MEOE-56	1
	OE Design; Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	RWD Includes Bushings; Left Upper	MCS-10751	1
	RWD Includes Bushings; Right Upper	MCS-10752	1

LINCOLN TRUCK
2000 — Navigator — Cont.

Steering Illustration: 64 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Suspension: — Cont.			
Arm Asy. — Cont.	4WD Includes Bushings; Left Upper	MCS-10753	1
	4WD Includes Bushings; Right Upper	MCS-10754	1
Ball Joint	Lower	MCS-104222	2
Sway Bar Link		MCS-18228	2

1999 — Navigator

Steering Illustration: 64 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Left	MEOE-56	1
	OE Design; Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1
	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	RWD Includes Bushings; Left Upper	MCS-10751	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	4WD Includes Bushings; Right Upper	MCS-10754	1
Ball Joint	Lower	MCS-104222	2
Sway Bar Link		MCS-18228	2

1998 — Navigator

Steering Illustration: 64 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Adjusting Sleeve	OE Design; Left	MEOE-56	1
	OE Design; Right	MEOE-57	1
	Optional Type; Front Left	MES-3368S	1
	Optional Type; Front Right	MES-3368S	1
Idler Arm	63mm between holes center to center	MEOE-58	1
	87mm between holes center to center	MEOE-59	1
Tie Rod	OE Design; Right Outer	MEOE-64	1
	OE Design; Left Outer	MEOE-63	1

LINCOLN TRUCK
1998 — Navigator — Cont.

Steering Illustration: 64 **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	RWD OE Design; Right Inner	MEOE-65	1
	RWD OE Design; Left Inner	MEOE-113	1
	4WD OE Design; Right Inner	MEOE-66	1
	4WD OE Design; Left Inner	MEOE-114	1
	Optional Type; Right Outer	MES-3367	1
	Optional Type; Left Outer	MES-3366	1
	RWD Optional Type; Right Inner	MES-3364L	1
	RWD Optional Type; Left Inner	MES-3365R	1
	4WD Optional Type; Right Inner	MES-3370	1
	4WD Optional Type; Left Inner	MES-3369	1
Front Suspension:			
Arm Asy.	4WD Includes Bushings; Right Upper	MCS-10754	1
	4WD Includes Bushings; Left Upper	MCS-10753	1
	RWD Includes Bushings; Right Upper	MCS-10752	1
	RWD Includes Bushings; Left Upper	MCS-10751	1
Ball Joint	Lower	MCS-104222	2
Sway Bar Link		MCS-18228	2

MERCURY TRUCK
2008 — Mountaineer

Steering Illustration: N/A **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-26	2
	Outer	MEOE-90	2

2007 — Mariner

Steering Illustration: N/A **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Gas Inner	MEOE-43	2
	Gas Outer	MEOE-80	2
	Hybrid; Inner	MEOE-28	2
	Hybrid; Outer	MEOE-80	2

2007 — Monterey

Steering Illustration: N/A **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-20	2
	Outer	MEOE-70	2

MERCURY TRUCK

2007 — Mountaineer

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-26	2
	Outer	MEOE-90	2

2006 — Mariner

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Gas Inner	MEOE-43	2
	Gas Outer	MEOE-80	2
	Hybrid; Inner	MEOE-28	2
	Hybrid; Outer	MEOE-81	2

2006 — Monterey

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-20	2
	Outer	MEOE-70	2

2006 — Mountaineer

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-26	2
	Outer	MEOE-90	2

2005 — Mariner

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-43	2
	Outer	MEOE-80	2

MERCURY TRUCK

2005 — Monterey

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-20	2
	Outer	MEOE-70	2

2005 — Mountaineer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4.0L OE Design; Inner	MEOE-14	2
	4.6L OE Design; Inner	MEOE-15	2
	OE Design; Outer	MEOE-79	2

2004 — Monterey

Steering Illustration: N/A			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	Inner	MEOE-20	2
	Outer	MEOE-70	2

2004 — Mountaineer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4.0L OE Design; Inner	MEOE-14	2
	4.6L OE Design; Inner	MEOE-15	2
	OE Design; Outer	MEOE-79	2

2003 — Mountaineer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4.0L OE Design; Inner	MEOE-14	2
	4.6L OE Design; Inner	MEOE-15	2
	OE Design; Outer	MEOE-79	2
	4.0L Optional Type; Inner	MES-3603	2
	4.6L Optional Type; Inner	MES-3604	2
	Optional Type; Outer	MES-3461	2

MERCURY TRUCK

2002 — Mountaineer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	4.0L OE Design; Inner	MEOE-14	2
	4.6L OE Design; Inner	MEOE-15	2
	OE Design; Outer	MEOE-79	2
	4.0L Optional Type; Inner	MES-3603	2
	4.6L Optional Type; Inner	MES-3604	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Ball Joint	Lower	MCS-104222	2
Sway Bar Link		MCS-18155	2

2002 — Villager

Steering Illustration: 146			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-107	2
	OE Design; Outer	MEOE-106	2
	Optional Type; Inner	MES-3199	2

2001 — Mountaineer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	Left Upper	MCS-10720	1
Ball Joint	Lower	MCS-104222	2
	Front Right Upper	MCS-104230	1
Sway Bar Link		MCS-18155	2

2001 — Villager

Steering Illustration: 146			Suspension Illustration: N/A
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-107	2
	OE Design; Outer	MEOE-106	2
	Optional Type; Inner	MES-3199	2

MERCURY TRUCK

2000 — Mountaineer

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	Left Upper	MCS-10720	1
Ball Joint	Lower	MCS-104222	2
	Front Right Upper	MCS-104230	1
Sway Bar Link		MCS-18155	2

2000 — Villager

Steering Illustration: 146 — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-107	2
	OE Design; Outer	MEOE-106	2
	Optional Type; Inner	MES-3199	2

1999 — Mountaineer

Steering Illustration: 62 — **Suspension Illustration: 176**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	Left Upper	MCS-10720	1
Ball Joint	Lower	MCS-104222	2
	Front Right Upper	MCS-104230	1
Sway Bar Link		MCS-18155	2

1999 — Villager

Steering Illustration: 146 — **Suspension Illustration: N/A**

PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-107	2
	OE Design; Outer	MEOE-106	2
	Optional Type; Inner	MES-3199	2

MERCURY TRUCK

1998 — Mountaineer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-79	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3461	2
Front Suspension:			
Arm Asy.	Left Upper	MCS-10720	1
Ball Joint	Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
Sway Bar Link		MCS-18155	2

1998 — Villager

Steering Illustration: 146			Suspension Illustration: 152
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-107	2
	OE Design; Outer	MEOE-106	2
	Front Stablizer Links; Outer	MEOE-134	2
	Optional Type; Inner	MES-3199	2
	Optional Type; Outer	MES-3200	2

1997 — Mountaineer

Steering Illustration: 62			Suspension Illustration: 176
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-33	2
	OE Design; Outer	MEOE-138	2
	Optional Type; Inner	MES-3424	2
	Optional Type; Outer	MES-3302	2
Front Suspension:			
Arm Asy.	Left Upper	MCS-10720	1
Ball Joint	Front Right Upper	MCS-104230	1
	Lower	MCS-104222	2
Sway Bar Link		MCS-18155	2

1997-93 — Villager

Steering Illustration: 146			Suspension Illustration: 152
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering:			
Tie Rod	OE Design; Inner	MEOE-107	2
	OE Design; Outer	MEOE-106	2
	Front Stablizer Links; Outer	MEOE-134	2
	Optional Type; Inner	MES-3199	2

MERCURY TRUCK
1997-93 — Villager — Cont.

Steering Illustration: 146			Suspension Illustration: 152
PART DESCRIPTION	QUALIFIER	PART NUMBER	QTY REQ'D
Front Steering: — Cont.			
Tie Rod — Cont.	Optional Type; Outer	MES-3200	2

SSD200 File Summary

ST200_Chassis_CarTrk_2008June03_001.PS

↓

ST200_Chassis_CarTrk_2008June03_001.PS

* May also produce files with .PDF extension